



Hardware produced by the local blacksmiths at their forge and anvil was common to many early American homes. Our blacksmiths take great pride in authentically reproducing these pieces, one by one, using 18th century tools and techniques. This hardware is carefully built to ensure that it will function, as designed, for many years to come.

## PERIOD LIGHTING

PAGES 22-38



Lighting is a most important aspect of 18th century decor. Our copper and tinsmiths recreate, by hand, a very comprehensive selection of candle and electrified fixtures which are historically correct for restorations of the period. Using only traditional materials such as tin, copper and brass, the metals are left with a natural finish which will darken slightly with time.

## BRASS &amp; PORCELAIN

PAGES 39-46



Brass and porcelain designs of the 18th and early 19th centuries created a more formal decor as compared with the hand-forged iron of the village blacksmiths. Typically executed as a sand casting, the manufacture of this hardware required more complicated means for its production. Our selection of brass door and cabinet hardware was made only after careful research into the numerous methods used in making brass hardware today. Meticulous attention to detail and historically accurate appearance are the major criteria.

## MACHINE-FORGED IRON

PAGES 47-59



A collection of iron hardware which offers the design and function of our hand-forged iron at a more economical price. These pieces are the result of machine-forging and therefore do not show the hammer marks and natural, forged finish of the hand-wrought hardware. Our machine-forged hardware is very well made and designed for years of use.

## PERIOD ACCESSORIES

PAGES 60-62



Here's a new section in our catalog which casts your attention to the more decorative household items that mean so much to the "function and form" of period furnishings. Any of these items will be a very attractive addition to your home and they'll also make exceptional gifts that will be gratefully received.

# INTERIOR SUFFOLK THUMBLATCHES


HAND-FORGED IRON • HANDCRAFTED IN U.S.A.



Suffolk style thumb latches (A-D) were in common use throughout all of the colonies during the 18th and early 19th centuries. The “Bean Latch” (A) was the first and most popular design. Originally made by English blacksmiths and imported here, the American smiths soon began producing these and many other designs. The cusp and handle styles eventually became as numerous as the craftsmen who made them and we are pleased to offer a selection of four popular designs.

## A Complete Thumb Latch Set has 4 Separate Parts.

1. Catch (drive shown)
2. Staple (drive shown)
3. Thumb Latch Handle & Tail
4. Latch Bar (plain bar shown)




## Interior Suffolk Thumb Latches

You'll find no finer reproductions of these classic period latches than those shown here. Each is fully hand-forged and represents the most historically accurate examples of this hardware we've seen. (Please specify door thickness).

- |  |  |
|--|--|
| <p>A) 2202-1 Bean Thumb Latch<br/>7½" L x 2" W. Original from a home in East Haddam, CT.</p> <p>B) 2201-1 Arrow-Head Thumb Latch<br/>9" L x 2¼" W. Original from a home in Germantown, PA.</p> | <p>C) 2203-1 Heart Thumb Latch<br/>9" L x 2¼" W. Original from a home in Ulster County, NY.</p> <p>D) 2207-1 Onion Thumb Latch<br/>9" L x 2¼" W. Original from a home in S. Glastonbury, CT.</p> |
|--|--|

## Suffolk Thumb Latch Trim Parts



## Latch Bar Styles

- E) 2301-1 Plain Bar: 6" L.  
 F) 2300-1 Coiled Rat-Tail Bar: 6½" L.  
 G) 2302-1 Shepherds Crook Bar: 6½" L.

## Staples Styles

- H) 2400-1 Drive Staple  
 I) 2403-1 Screw Mount Staple

## Catch Styles

- J) 2401-1 Drive Catch  
 K) 2402-2 Screw Mount Catch  
 L) 2408-1 Footed Drive Catch

## To Order a Complete Thumb Latch Set:

- |                           |  |                                    |                              |                                |
|---------------------------|--|------------------------------------|------------------------------|--------------------------------|
| 1. Select a Latch Handle. | 2. For Inswing Door Go To Step (3).<br>—or—<br>For Outswing Door Use Reverse Bevel Trim Set (D on page 5). | 3. Select a Latch Bar (E, F or G). | 4. Select a Staple (H or I). | 5. Select a Catch (J, K or L). |
|---------------------------|--|------------------------------------|------------------------------|--------------------------------|

# INTERIOR LATCHSET & PULLS

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON

## Latch Bar Lock

For bathroom or bedroom doors, these can be used with your thumbatches to “lock” the door from the inside.


- A) 2574-1 Latch Bar  
Lock: 2" L.



## Latch Bar Pin

Here is another way to “lock” a thumbatch from the inside. This pin slides into a hole in the door, just above the latch bar, to stop the bar from being lifted up.

- B) 2582-1 Latch Bar  
Pin: 2" L.



## Interior Norfolk Thumbatch & Trim Set

The Norfolk latch shows the first influence of the Industrial Revolution on door latch manufacturing. In the interest of mass production, the back plates were made on a strip shear. Our interior Norfolk latch set combines a hand-forged handle with back plate and is furnished complete with a special standard trim set with knob or a reverse bevel trim set. (Please specify door thickness and “standard” or “reverse bevel” trim set).

- C) 2204-2 Norfolk Thumbatch Set  
7" L x 1½" W.



Norfolk standard trim  
6" L bar.



Reverse Bevel Trim Set

Closet, cellar or storm doors require the thumbatch handle on the side that pulls out to open. The Reverse Bevel Trim Set includes a special latch bar, staple and catch, for use with any thumbatch.

- D) 2520-Int. Interior Reverse Bevel Trim Set: 6" L bar.  
2520-Ext. Exterior Reverse Bevel Trim Set: 7" L bar.



Offset Latch Bar

Offset latch bars are often used for doors not hung flush with the casing. Our standard would be for a ¾" thick casing, but we can tailor it to fit any thickness casing. (Please specify casing thickness).

- E) 2303-1 Offset Latch Bar  
6" L bar.



Closet Latch Bar Set


This is a complete latch set designed specifically for pantry or closet doors. It consists of a “coiled rat-tail” latch bar with a screw mounted staple and drive catch. The latch bar has a prong that protrudes through a slot in the door so, as an emergency release it can be opened from the inside.

- F) 2530 Closet Latch Bar Set  
7" L bar.

## Interior Door Pulls

These interior Suffolk and Norfolk door pulls are made to complement our thumbatch sets. They are for use on all types of interior doors that don't require a latch.

- G) 2202-2 Bean Door Pull  
7" L x 2" W.  
H) 2201-2 Arrow-Head Door Pull  
8½" L x 2¼" W.  
I) 2203-2 Heart Door Pull  
8½" L x 2¼" W.  
J) 2207-2 Onion Door Pull  
8½" L x 2¼" W.  
K) 2204-3 Norfolk Door Pull  
7" L x 1½" W.




# ENTRANCE THUMBLATCH SETS

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.

## Suffolk Entrance Thumblatch Sets

For use on entrance doors, these thumblatch sets are forged from heavier stock to a larger dimension than our interior latches. A generous pull allows you to grasp the handle easily, even with a gloved hand. These are complete sets that include a large latch bar, screw mount staple, and a decorative drive catch. For use on doors up to 3" thick. (Please specify door thickness and "standard" or "reverse bevel" trim set. For deadbolt security locks see pages 7 & 52).

- A) 2350 Bean Entrance Thumblatch Set  
10" L x 3 1/4" W.
- B) 2351 Arrow-Head Entrance Thumblatch Set  
12" L x 3 1/4" W.
- C) 2352 Heart Entrance Thumblatch Set  
12" L x 3 1/4" W.
- D) 2354 Ball & Spear Entrance Thumblatch Set  
12" L x 3 1/4" W.




Norfolk standard trim  
7 1/2" L bar.

## Norfolk Entrance Thumblatch Set

The Norfolk thumblatch style was a design that was easily adapted to large-scale production. By the 1830's, these were manufactured in factories by the thousands. There is, however, plenty of evidence that the earliest Norfolk latches were completely hand-wrought, just as the entrance set offered here. A lift knob on the latch bar generally characterizes Norfolk trim sets. (Please specify door thickness and "standard" or "reverse bevel" trim set. For deadbolt security locks see pages 7 & 52).

- F) 2348 Norfolk Entrance Thumblatch Set  
10" L x 2 1/4" W.



Hadlyme standard trim  
10" L bar.

## Hadlyme Entrance Thumblatch Set

Inspiration for this generous latch came from an original, which was forged by a well-known blacksmith in Hadlyme, CT., circa 1810. One of our blacksmiths re-created this design in both a traditional (black) finish and a whitesmithing version. For a substantial entryway this latch is historically appropriate and indicative of early work that would have been commissioned for a large home. The latch comes with an extra large latch bar, screw mount staple and footed drive catch. (Please specify door thickness and "standard" or "reverse bevel" trim set. For deadbolt security locks see pages 7 & 52).

- E) 2349 Hadlyme Entrance Thumblatch Set Whitesmithing. 19" L x 3 1/4" W.
- 2349-B Hadlyme Entrance Thumblatch Set Traditional Blacksmithing. 19" L x 3 1/4" W.

Whitesmithing shown

# ENTRANCE LATCHSETS & PULLS

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON

A) Bean Mortise Lock Set



Exterior

Interior

## Mortise Entrance Lock Sets

These carefully designed latch sets combine the look and feel of our hand-forged handles with the convenience and security of a modern mortise lock. Any of our hand-forged entrance latch designs can be constructed to work with this high quality lock system. A complete set includes 2 thumb latch handles, mortise lock, forged thumbturn, keyed cylinder, forged cylinder collar, black door edge plate and strike. For use on doors up to 3" thick, with 4" or wider stile. (Please specify door thickness and handing).

- A) 2350-M Bean Entrance Mortise Lock Set.  
Exterior: 10" L x 3" W.  
Interior: 8½" L x 2½" W.
- B) 2348-M Norfolk Entrance Mortise Lock Set.  
Exterior: 10" L x 2¼" W.  
Interior: 9" L x 2" W.

### Not Shown

- 2351-M Arrow-Head Entrance Mortise Lock Set.  
Exterior: 12" L x 3¼" W.  
Interior: 9" L x 2¼" W.
- 2352-M Heart Entrance Mortise Lock Set.  
Exterior: 12" L x 3¼" W.  
Interior: 9" L x 2¼" W.
- 2354-M Ball & Spear Entrance Mortise Lock Set.  
Exterior: 12" L x 3¼" W.  
Interior: 9" L x 2¼" W.

B) Norfolk Mortise Lock Set




Exterior

Interior

Please specify for all locksets on this page:


- Backset (2½" or 2¾").
- Door Thickness (1¾" to 3").
- Handing (Left or Right).
- Door Swing (In-swing or Out-swing).
- See Page 54 for mortise lock details.
- Please call for technical assistance.



## Mortise Deadbolt Set

This set combines a modern, mortise style deadbolt and cylinder lock with a hand-forged cylinder collar and thumbturn. Requires a minimum door thickness of 1¾" and 4" or wider stile. (Please specify 2½" or 2¾" backset).


C) 3260 Mortise Deadbolt Set



## Entrance Door Pulls

Used primarily for barn doors and gates, these pulls are forged from the same stock as our entrance thumb latches. The designs provide for a generous grip to move large doors.

- D) 2350-2 Bean Entrance Door Pull 10" L x 3¼" W.
- E) 2351-2 Arrow-Head Entrance Door Pull 12" L x 3¼" W.
- F) 2352-2 Heart Entrance Door Pull 12" L x 3¼" W.
- G) 2354-2 Ball & Spear Entrance Door Pull 12" L x 3¼" W.
- H) 2348-2 Norfolk Entrance Door Pull 10" L x 2¼" W.



# SLIDE BOLTS, ETC.

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.



Mortise Strike



Tab Strike



(A-D Shown with Surface Strike)



## Slide Bolts

Bolts, such as these, were made in many sizes for installing on all types of doors. A tensioning leaf on the back of the bolt holds it in place for horizontal or vertical mounting. Shown with surface mount strike. (Please specify "surface", "mortise" or "tab" style strike plate).

- |           |                              |         |                              |
|-----------|------------------------------|---------|------------------------------|
| C) 4220-G | Standard Slide Bolt          | D) 4285 | Small Slide Bolt             |
|           | Plate Size: 4" L x 1 1/2" W. |         | Plate Size: 2 1/4" L x 1" W. |
|           | Bolt Size: 1/2" x 1/2" x 5"  |         | Bolt Size: 1/4" x 1/4" x 3"  |
|           | Overall Length: 7 1/2"       |         | Overall Length: 5"           |

## Hook & Eye

Forged in square stock with a center twist, these hooks exhibit a lot of detail. Use for bathroom doors, cupboards or in the barn. Available in 3 sizes.

- |           |                |
|-----------|----------------|
| E) 1139-1 | 4" Hook & Eye  |
| 1138-1    | 8" Hook & Eye  |
| 1137-1    | 12" Hook & Eye |



## Dutch Door Quadrant

Two piece Dutch doors were most common in eastern Pennsylvania and New York State. Quadrants were designed to hold the two door halves in alignment and to allow the quick separation of the top half from the bottom when desired. They are also popular on stable doors.

(Please specify "left" or "right" handing).

- |         |                      |
|---------|----------------------|
| F) 4240 | Dutch Door Quadrant  |
|         | 5 1/2" L x 4 3/4" W. |



## Cane Bolts

When installing French doors (or any two-door units), bolts such as these are necessary to stabilize one door of the pair. The remaining door can then be securely latched to it. Available in 2 standard sizes to work with any type of door. (Please specify "surface", "mortise", or "tab" style strike plate).


- |           |                              |
|-----------|------------------------------|
| A) 4295   | Large Cane Bolt              |
|           | Plate Size: 6 1/2" L x 2" W. |
|           | Bolt Size: 1" x 1/2" x 7"    |
|           | Overall Length: 18" or 24".  |
| B) 4270-G | Standard Cane Bolt           |
|           | Plate Size: 4" L x 1 1/2" W. |
|           | Bolt Size: 1/2" x 1/2" x 5"  |
|           | Overall Length: 12".         |

## Hasp

A very authentic way to secure a barn or shed door. This design works well on single or double doors.

(Please specify door thickness and handing).

- |         |                   |
|---------|-------------------|
| G) 2720 | Hasp              |
|         | 12" L x 1 1/2" W. |



# STRAP HINGE HARDWARE

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON



A) Bean finial shown



B) Arrow-Head finial shown



C) Ball & Spear finial shown



D) Heart finial shown



## Strap Hinges

Strap hinges are the sturdiest of period styles and can range in lengths from 8" to 48" and larger. Usually spanning  $\frac{1}{2}$  to  $\frac{2}{3}$  of a door's width, our strap hinges reflect the best characteristics of craftsmanship and design from the 18th century. The surface of each hinge is fully worked and deep beveling is painstakingly hammered into each edge. (Please specify "Bean", "Arrow-Head", "Ball & Spear" or "Heart" finial end).

- |         |  |         |   |
|---------|--|---------|---|
| A) 4030 | 30" Strap Hinge:<br>2" W x $\frac{1}{4}$ " Thick.                | C) 4018 | 18" Strap Hinge:<br>1 $\frac{1}{4}$ " W x $\frac{3}{16}$ " Thick. |
| B) 4024 | 24" Strap Hinge:<br>1 $\frac{1}{2}$ " W x $\frac{1}{4}$ " Thick. | D) 4012 | 12" Strap Hinge:<br>1" W x $\frac{3}{16}$ " Thick.                |



## Dummy Strap Hinges

These are an effective way to embellish the exterior side of an entrance door in a historically correct manner. Simply a design element, the larger sizes can be used on garage or carriage house doors. (Please specify "Bean", "Arrow-Head", "Ball & Spear" or "Heart" finial end).

- |         |  |         |   |
|---------|--|---------|---|
| E) 4330 | 30" Dummy Strap Hinge:<br>2" W x $\frac{1}{4}$ " Thick.                | G) 4318 | 18" Dummy Strap Hinge:<br>1 $\frac{1}{4}$ " W x $\frac{3}{16}$ " Thick. |
| F) 4324 | 24" Dummy Strap Hinge:<br>1 $\frac{1}{2}$ " W x $\frac{1}{4}$ " Thick. | H) 4312 | 12" Dummy Strap Hinge:<br>1" W x $\frac{3}{16}$ " Thick.                |


Finial ends for all size straps & dummy strap hinges



## Pintle Styles

We hand-forge 3 pintle styles to work with any jamb detail. 18th century door framing usually provided a hardwood post into which a drive pintle would be mounted. These pintles can be used with modern framing as well. We also make the (I) "Jamb Mounted" and (J) "Plate Mounted" pintles, which the installer may find more workable for certain applications. The pin sizes are  $\frac{1}{2}$ " dia. for 30" and 24" straps,  $\frac{3}{8}$ " dia. for 18" and 12" straps. (Please specify right or left handing when ordering "Jamb Mounted" pintle).


- |         |   |
|---------|---|
| I) 4023 | Jamb Mounted Pintle (left or right handing) |
| J) 4020 | Plate Mounted Pintle                        |
| K) 4021 | Drive Pintle                                |




## Strap Hinge & Pintle Mounting Details

- 1) The "Jamb Mounted" pintle is mounted into a mortise on the face of the jamb.
- 2) The "Plate Mounted" pintle is surface mounted on the door casing and straps are furnished with an "Offset" to position door flush with casing.
- 3) The "Drive" pintle is installed at a 20° angle into the framing behind the casing. For modern framing with 2x4's, the pintle intersects both studs.


I) Jamb Mounted Pintle



J) Plate Mounted Pintle



K) Drive Pintle



# H & HL HINGE HARDWARE

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.



*These pin style hinges were English in origin and very important to early homebuilders. The 3", 4" and 5" sizes were widely used on corner cabinets and cupboard doors. 7" hinges were typically chosen for full size interior doors and the 9" size would have been used on heavier entrance doors. Our blacksmiths fully work each hinge with a hammered, beveled edge.*

## HL Hinges

Item No.	Type	H x W
A) 4090-HL	9" HL	9" x 8¼"
B) 4060-HLG	7" HL	7" x 6"
C) 4050-HLG	5" HL	5" x 5"
D) 4040-HLG	4" HL	4" x 4½"
E) 4030-HL	3" HL	3" x 3½"

## H Hinges


Item No.	Type	H x W
F) 4090-H	9" H	9" x 3½"
G) 4060-HG	7" H	7" x 2⅜"
H) 4050-HG	5" H	5" x 2"
I) 4040-HG	4" H	4" x 2"
J) 4030-H	3" H	3" x 1½"



Traditional H & HL Hinges



Half Surface H & HL Hinges




## Half Surface H & HL Hinges

Combined with our jamb pintle (I) on page 9, this hinge design hangs a door on the jamb. Perfect for heavy interior doors or entrance doors. The pin size for both the 9" and the 7" hinge is ⅜" dia. (Please specify if you need left hand or right hand, see detail on page 7).

Item No.	Type	H x W
K) 4190-HL	9" HL	9" x 8½"
4190-H	9" H	9" x 2½"
L) 4170-HL	7" HL	7" x 7"
4170-H	7" H	7" x 2½"

# CABINET HARDWARE

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON



Our hand-forged hinges, pulls and latches are an excellent way to add authentic, 18th century character to your kitchen cabinetry and cupboards. We produce these in large quantities so they are economical, yet still retain their beauty.

## Cabinet Door Pulls

All are 3½" center x 1" projection.

- A) 1149-1 Bean Door Pull: 4¼" L.
- B) 1152-1 Ball & Spear Door Pull: 5½" L.
- C) 1144-1 Arrow-Head Door Pull: 4½" L.
- D) 1141-1 Penny End Door Pull: 4½" L.
- E) 1156-1 Onion Door Pull: 5¼" L.

## Cabinet Drawer Pulls

All are 4¼" center x 1¼" projection.

- F) 1150-1 Bean Drawer Pull: 5" L.
- G) 1153-1 Ball & Spear Drawer Pull: 6" L.
- H) 1143-1 Arrow-Head Drawer Pull: 5¼" L.
- I) 1140-1 Penny End Drawer Pull: 5" L.
- J) 1157-1 Onion Drawer Pull: 6" L.

## Cabinet Hinges


All of these hinges are for flush mount cabinet doors.

(Please specify "left" or "right" hand on L or M).

- K) 417-1 Butterfly Hinges  
2½" H x 3" W.
- L) 418-1 Flag Rat-Tail Hinges  
3¾" H x 1¾" W.
- M) 419-1 Bean Rat-Tail Hinges  
3¾" H x 1½" W.

## Cabinet Latches

- N) 725-1 3" Rat-Tail Cabinet Latch
- O) 720-1 3" H Cabinet Latch with Knob



# HARDWARE & HEARTHWARES

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.

## Hand-Forged Nails

Time consuming to make and often re-used, nails were had at a premium by early American carpenters. Our rose head hand-forged nails are pointed and can be clinched for truly authentic hardware installations.

A) 110	1" Nail	310	3" Nail
112	1½" Nail	312	3½" Nail
210	2" Nail	410	4" Nail
212	2½" Nail		

## Sash Pin

These will solve the problem of securing older window sash, with a period look. Also used to hold sash open. Furnished with a rawhide retainer.

B) 2139-1	Sash Pin
	3" L x ⅜" Round


## Lag Bolts

Our square head lag bolts are perfect for recreating the look of a large, hand-wrought nail. Great for large strap hinge installations, where extra strength is needed. (Available in ¼", ⅝" or ¾" diameter and lengths from 1" on up).

C) 204	¼" Lag Bolt
206	⅝" Lag Bolt
208	¾" Lag Bolt

## Snipe Hinges


The design of snipe hinges is basic and to the point. Use these for mounting lids on blanket chests or smaller boxes for a very authentic, period look.

D) 420-1	Small Snipe Hinge	
	Pins: 1½" L.	
425-1	Large Snipe Hinge	
	Pins: 2½" L.	

## Leaf & Scroll Log Holders

To complement your hearth with wonderful hand-forged detail, we offer these sturdy log holders. Stack hours worth of wood neatly off the floor. 16" H x 11" D x 22" W.

G) 1777-9	Leaf Log Holder
H) 1778-9	Scroll Log Holder



## Betty Lamp


This is an authentic hand-forged replica of a widely used colonial lamp that burned whale oil or tallow. The hook allows the lamp to hang from a shelf or mantle. 11" H x 4" W. (Decorative use only).

E) 2424-7	Betty Lamp
-----------	------------

## Bellows

Rekindle an old fire or nurture a new one using these hardwood and leather bellows. Completely hand-made, these are 16" in length and crafted with a brass tip.

F) 1567	Bellows
---------	---------



# HEARTHWARES

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON

## Kitchen & Hearth Brooms

We are very pleased to present these beautifully crafted and truly authentic early American brooms. Wrapped on an actual 1800 vintage broom-winder, these are made only of 100% South Dakota broomcorn. The natural oils and texture of this fiber are particularly suited to brooms.

- A) 1560 54" Kitchen Broom: Sapling Handle
- B) 1563 38" Hearth Broom: Sapling Handle
- C) 1561 38" Hearth Broom: Vine-Wrapped Handle
- D) 1562 54" Kitchen Broom: Vine-Wrapped Handle

## Broom & Dust Pan

A must for your fireplace, these pieces make cleaning up around the hearth a breeze. The dust pan comes complete with a large round hook for hanging. Dust Pan: 8" H x 9" W.

- E) 1559 22" Hand-Wound Whisk Broom
- F) 1558 Dust Pan & Hook

## Hessian Soldier Andirons

This very traditional design was originally cast in iron by colonists who were sympathetic to Hessian soldiers hired by the British. So impressed by their uniforms and discipline, the New England foundrymen created these andirons to commemorate the soldiers. Cast iron and finished in black or hand-painted in the 5 traditional colors. 19" H x 16" D.

- G) 1620-B Hessian Soldier Andirons: Black
- H) 1620-P Hessian Soldier Andirons: Painted

## Cat Andirons

As the fire burns, the green marble eyes of these andirons will sparkle. These cast iron cats sit atop pedestals which are attached to the log rest. Any cat lover would be proud to have these grace their home. Cast iron with black finish. 17" H x 15" D.

- I) 1650 Cat Andirons



# HEARTH TOOLS & FIREPLACE ACCESSORIES

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.



## Stove & Fireplace Tools



(Round Handle also available.)

Our tools provide you with classic examples of hand-forged work by the village smith. These handsomely designed tools are 28" in length and feature a broom, hand-tied using South Dakota broom corn. Your choice of Round or Square handles in heavy 3/8" stock. (Photo at left shown with square handles).

	SQUARE HANDLE (With Twist)	ROUND HANDLE (No Twist)
Set Of 4 Tools	1500-1	1502-1
A) Broom	1536-1	1538-1
B) Poker	1506-1	1508-1
C) Shovel	1526-1	1528-1
D) Tongs	1546-1	1548-1

## Oversized Tools (not shown)

Our blacksmith worked these up especially for large fieldstone fireplaces. Made of heavier 1/2" square stock, 36" in length, with the same graceful twist in the handle as our regular size tools.

Set of 4 Tools	1501-1
Shovel	1525-1
Poker	1505-1
Broom	1535-1
Tongs	1545-1

## Wall Mount Tool Racks

With either 3 or 4 stationary hand-forged round hooks, your tools will be displayed in easy reach. 12" L x 3" H.

E) 1574-1	4 Hook Rack
1573-1	3 Hook Rack

## Tool Stands

Sturdy and well balanced, these stands are a very graceful alternative to our fireplace tool rack. Position them anywhere around your hearth or wood stove. Available in 2 designs to match our 28" fireplace tool sets. Overall height 40".


(Not for use with oversized tools).

F) SQUARE POST (With Twist)	
1586-1	4 Hook Stand
1585-1	3 Hook Stand
G) ROUND POST (No Twist)	
1588-1	4 Hook Stand
1587-1	3 Hook Stand



# HEARTH TOOLS & FIREPLACE ACCESSORIES

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON



Hand-Forged Crane

L)

Standard Crane

M)

## Fireplace Cranes

To facilitate open fire cooking, 18th century fireplaces were equipped with cranes. We offer a standard style (some electric welding) and a fully hand-forged version (traditional joinery) in a variety of lengths. Each comes with either masonry brackets to install during construction or angle brackets for existing fireplaces. (Please specify arm length and bracket type when ordering. Custom sizes and designs also available).

- L) Hand-Forged Cranes  
 1700 Custom built to your specifications.
- M) Standard Cranes  
 1600-8 22" Crane  
 1626-8 26" Crane  
 1632-8 32" Crane  
 1641-8 41" Crane

Swinging cranes replaced the 'lugpole' in the fireplace, making it much easier and safer to move large pots of food in or out of the fire.

The building of a fireplace created opportunities for many different craftsmen to pursue their individual talents.

## Leaf Fireplace Tools & Stand

Here's a unique fireplace set that displays extensive hand-forged detail. These heirloom quality tools measure 30" in length and hang on a special 4-hook stand.

- N) 1702-9 Set of 4 tools and stand  
 1703-9 Tongs  
 1704-9 Shovel  
 1705-9 Poker  
 1706-9 Broom



## Andirons

A sturdy pair of andirons was an appliance necessary in all period homes. Primarily used to support logs in the fireplace, they could also play a role in open fire cooking by holding a spit. We have recreated four examples of traditional design and quality. 18" H x 16" D. Spit hooks are optional.

- H) 1701-9 Scroll Andirons    J) 1711-9 Ball Finial Andirons  
 I) 1714-9 Ring Andirons    K) 1712-9 Goose Neck Andirons




K) Goose Neck Andirons

Optional spit hooks shown on Goose Neck Andirons.



# HEARTH COOKING

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.



The hearth and fireplace were the center of family life for most early American homes. A carefully tended wood fire created heat to warm the house and prepare meals. The practice of cooking on a hearth was basic to 18th and early 19th century America. Family members could gather and assist as the food was prepared with ingenious techniques utilizing fireplace tools and hearth cooking utensils of the period.

We at Historic Housefitters are pleased to make available replicas of some of these appliances and utensils and invite you to give hearth cooking a try. Preparing your food in this way requires “active participation” and, while not for the faint of heart, the techniques and fresh herbs produce flavors which are superb.

## Tinned Reflector Oven

Here’s an exact reproduction of an 18th century reflector oven or “tin kitchen,” which is ideal for roasting meat or fowl. The curved design and brightly tinned surface reflect the fire’s heat around the food. Entrees prepared with this oven will give you the true flavor of authentic roasting!

Comes complete with a hand-forged spit and 3 skewers which allow for timely rotation of the roast for even cooking. The oven’s rounded bottom acts as a drip pan and the door on the back provides for basting and testing as cooking progresses. 20” H x 20” W x 12” D.

A) 1601-5 Reflector Oven



Modern ovens actually bake meat and cannot begin to duplicate the succulent roasts resulting from open-fire cooking.

## Spider

A “spider” is a long handled frying pan with 3 legs. It was used extensively around the fire to catch drippings from roasting meats and to sauté vegetables. The long handle provided some space between the fire and cook.

7” H x 9” Dia x 15” L. handle.



B) 1657-1 Spider Frying Pan

## Gridiron

Using a peel or shovel, create a bed of hot coals on your hearth. Place the gridiron over the coals and you can broil meat, chicken, fish or vegetables, much as you would on an outdoor barbecue.

13” W x 10½” L x 3½” H with 7½” L. handle.

C) 1660-1 Gridiron



D)



E)

## Old Sturbridge Village Cookbook

From the dedicated interpreters of Old Sturbridge Village comes this wonderful reference on 19th Century cooking. Partially based on Lydia Maria Child’s The American Frugal Housewife (1829), all recipes have been fully tested and explained in contemporary terms.

D) 1612 Old Sturbridge Village Cookbook

## Hearthside Cooking

A very detailed and informative reference on open-fire cooking, by Nancy Carter Crump, which thoroughly explains the extraordinary techniques of the period.

E) 1606 Hearthside Cooking

Both cookbooks present recipes for hearthside and modern kitchen preparation.

# HEARTH COOKING

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON

## Cast Iron Cookery

In practicing the art of hearth cooking, cast iron dutch ovens play a major role. Dutch ovens are extremely versatile and much quicker to use than a brick beehive oven for baking rolls, bread, pies, meats and vegetables. These are placed on a bed of coals and with their flanged lids securely in place, can be covered with more coals as needed. Cooking times are much the same as for modern ovens.

### F) Dutch Oven-Round Lid

- 1655-5 5 Qt: 10 $\frac{1}{4}$ " dia. x 4" deep.
- 1655-7 7 Qt: 12" dia. x 4 $\frac{3}{4}$ " deep.
- 1655-9 9 Qt: 13 $\frac{1}{4}$ " dia. x 4 $\frac{3}{4}$ " deep.

### G) Dutch Oven-Flat Lid & Legs

- 1656-6 6 Qt: 12" dia. x 3 $\frac{3}{4}$ " deep.
- 1656-8 8 Qt: 12" dia. x 5" deep.

## Cooking Trivet

The actual uses for cooking trivets appear to have been twofold. Some were designed to create a resting place to insulate hot cookery from wooden surfaces. Those with shorter legs were likely used over coals for cooking. 4" H x 8" dia.

H) 1654-1 Cooking Trivet

## Lid Hook

Here we have a period solution for safely lifting the lid off your Dutch oven. This combines a hand-forged iron hook with a wooden handle.

Handle: 6" L. Hook: 4" L.

D) 1658-1 Lid Hook

## Skewers & Holder

Another example of a very common utensil used in open fire cooking, skewers were used to position meat or fowl on a spit. The holder was typically hung near the fireplace keeping the skewers in easy reach. The set comes with 6 skewers; 6" to 8" in length. Holder: 5" H x 5 $\frac{1}{2}$ " W.

J) 1653-1 Holder with 6 Skewers

## Long Handle Peel


The broad, flat blade and long handle of an 18th century peel was perfectly suited to the task of cooking in a beehive oven. Coals were moved from the hearth to pre-heat the oven for baking. The peel can also serve to manage a bed of coals on the hearth for use with Dutch ovens or cooking trivets. 48" L x 7 $\frac{1}{2}$ " W.

K) 1651-1 Long Handle Peel

## Long Handle Poker




Collectors of period iron know that original examples of these once common implements are very rare. Pokers were most likely re-forged into something more useful in the mid 19th century as iron cook stoves became popular. We offer a faithful recreation of this useful tool. 48" L.

L) 1652-1 Long Handle Poker



# KITCHEN RACKS

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.



## Hanging Oval Pot Rack

A ceiling mounted pot rack is a very convenient way to store and display your cookware. The hand-forged detailing on this piece also makes it very decorative. Six permanent hooks are forged at the end of each hoop and six additional slip hooks can be placed as needed. Standard size is 32" L x 15" H x 20" W. Complete with two threaded ceiling hooks. *Custom Sizes Available.*

A) 1710-9 Hanging Oval Pot Rack with 6 Slip Hooks

## Hearth Cooking Utensils & Rack

Period hearths were equipped with a selection of hand-forged utensils such as these. The forged detail is extensive and beautiful, right down to the hand-made rivets, which attach the bowls to the handles. We offer these in two handle styles, using either a loop or an eyelet for hanging. Utensils: 20" L. Rack: 12" L x 1 1/4" W x 3/4" Projection. *(Please specify your choice of copper or iron bowls).*

Utensils with Loop Handle  
(shown with iron bowls)

- B) 1801-2 Skimmer
- C) 1802-2 Ladle
- D) 1803-2 Fork
- E) 1717-9 Rack

Utensils with Eyelet Handle  
(shown with copper bowls)

- F) 1602-2 Skimmer
- G) 1603-2 Ladle
- H) 1604-2 Fork
- I) 1717-9H Rack with Hooks

## Half Dutch Crown Pot Rack

We have made dozens of these for customers requesting this design and now offer it as one of our regular items. This wall mounted pot rack has one permanent hook and four slip hooks. Made from the same material as our hanging oval pot rack. 25" L x 15" W x 12" Deep.

J) 1715-9 Half Dutch Crown Pot Rack with 4 Slip Hooks

## Wall Mounted Pot Rack

This rack is forged in heavy stock with fishtail finials. A 3" offset provides clearance for six adjustable slip hooks to be placed as needed. Mounting holes are 32" on center. 35" L x 3" Deep.

K) 1716-9 Wall Mounted Pot Rack with 6 Slip Hooks



# IRON APPOINTMENTS FROM THE FORGE

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON



B)

## Under Cabinet Scroll Paper Towel Holder

This design lets you hang your paper towels conveniently from the bottom of an upper cabinet. 13" L x 4½" D.

B) 1312-1 Under Cabinet Scroll Paper Towel Holder

## Vertical Leaf Paper Towel Holder


If empty wall space is hard to find in your kitchen, as it is in ours, this holder makes use of the narrowest spot. The roll simply slips down over the leaf top. 13" H x 4½" D.

E) 1309-1 Vertical Leaf Paper Towel Holder

## Towel Rings

With this ingenious, open design, these towel rings are so easy to use. Your towels are quickly accessed or replaced.

F) 1405-1 Small Towel Ring  
7" L x 3½" Dia.  
1404-1 Large Towel Ring  
9" L x 4¾" Dia.



## Towel Bars

These sturdy and decorative towel bars are perfect for any period or rustic décor. The hand-forged detailing is right in keeping with our hardware. Available in four lengths with your choice of finial designs. 3" Projection. (Please specify Heart, Leaf, Ram's Horn or Scroll finial).

A) 1445 12" Towel Bar 1447 24" Towel Bar  
1446 18" Towel Bar 1448 30" Towel Bar

## Toilet Tissue Holders

Our toilet tissue holders are an exceptional solution for hanging this necessity. Available with the end open either right or left. 7" L x 3½" D. (Please specify Heart, Leaf, Ram's Horn or Scroll finial).


C) 1207 Tissue Holder-Left Load  
1210 Tissue Holder-Right Load



## Horizontal Paper Towel Holder

Here's our hand-forged answer to hanging your paper towels. Rolls can be renewed in a snap. Available with the end open either right or left. 13" L x 4" D. (Please specify Heart, Leaf, Ram's Horn or Scroll finial).

D) 1307 Horizontal Paper Towel Holder-Left Load  
1310 Horizontal Paper Towel Holder-Right Load



## Swag Hooks



Create a traditional period look with your window treatments using our hand-forged swag hooks. These are easily attached to your window casings with wood screws. 2½" H x 2" D. (Please specify Heart, Leaf, Ram's Horn or Scroll finial).

G) 1148 Swag Hooks (pair)



# IRON HOOKS

HAND-FORGED IRON • HANDCRAFTED IN U.S.A.



The village smith was always busy forging useful pieces for the household, small and large alike. We've reproduced some traditional hook designs and also told our smiths to use their imaginations. You'll find lots of uses for these hooks.

## Large Hooks

Carefully detailed with a large radius, these heavy hooks are perfect for hanging curtain rods, towels, antique firearms, wreaths, garden tools and much more.

- A) 1132-1 Flat Heart Hook  
3½" L x 1½" D.
- B) 1126-1 Round Leaf Hook  
4½" L x 2½" D.
- C) 1122-1 Round Bean Hook  
4" L x 2½" D.
- D) 1131-1 Round Heart Hook  
4½" L x 2½" D.

## Small Hooks

These are reproductions of traditional hooks used around 18th century homes. Driven into beams, "S" hooks as extenders on fireplace cranes, and hooks for baskets, are just a few suggestions.

- G) 1123-1 Square Drive Hook
- H) 1125-1 Round Hook
- I) 1127-1 Square Hook with Twist
- J) 1120-1 Round Threaded Mantle Hook  
G-J are 3" L x 1¼" D.
- K) 9135-5 Round "S" Hook
- L) 9145-5 Square "S" Hook  
K & L avail. 3½", 6" & 9" L.



## Coat Hooks

These designs actually create 3 hooks in one. They'll easily hold a coat, scarf and hat. Great for bathroom walls or on the back of doors. 6" L x 2" D.

- E) 1124-1 Scroll Coat Hook
- F) 1134-1 Heart Coat Hook

## Wall Mounted Coat Rack

Here is a coat rack strong enough to do the job. This rack is the answer for your mudroom or back entryway and will provide a welcome place to hang those heavy winter coats and hats. Four oversized hooks are riveted to an iron bracket that is hand detailed with your choice of a fleur-de-lis or fish tail at each end. 36" L x 9" H x 4" D.  
(Please specify fleur-de-lis or fish tail ends).

- M) 1720-9 Coat Rack



# PERIOD ACCESSORIES FROM THE FORGE

HANDCRAFTED IN U.S.A. • HAND-FORGED IRON

## Southbury Candle Chandelier

From our blacksmiths forge comes this finely crafted 6-arm iron candle chandelier. The generous diameter and unique two-piece center shaft combine to create a very elegant design. 33" H x 28" W. (Candles not included).

A) 1832-1 Southbury Candle Chandelier



## Swinging Plant Hanger


This two-piece swinging plant hanger is hand-forged with an intricate leaf pattern at the end of the arm. Position your plants exactly as you wish, in or out of the sun. Arm: 10" H x 12½" D. Bracket: 3¼" H x 1" W.

B) 1116-1 Swinging Plant Hanger

## Small Plant Hanger

Our smaller plant hanger has a gracefully curved 7" arm which tapers to a hook to hang your plant from. 3" H.


C) 1114-1 Small Plant Hanger



## Courting Candlestick

A very special candlestick that allowed a young lady's father to adjust the height of the candle with the wooden thumb turn. When the flame burned down to the top of the candlestick, "courtin time" was over. 5" H x 6" W. (Candle not included).

D) 1738-9 Courting Candlestick



## Hog Scraper Candlestick

This fully hand-forged piece uses a thumb turn to adjust the candle upward, as it burns down. A unique candleholder for any table. 6½" H x 4" W. (Candle not included).

E) 1739-9 Hog Scraper Candlestick

## Iron Brackets

These brackets are forged from heavy 1" iron stock and are great for mounting shelving or flower boxes. We offer 3 stock sizes with custom sizes and designs available to meet your needs.

F) 1910-1 Small Bracket: 6½" H x 5" D.

1911-1 Med. Bracket: 8½" H x 7" D.

1912-1 Large Bracket: 11" H x 10" D.

## Dinner Bell & Bracket

Traditionally used on farms and ranches to signal mealtime, the loud clang of the triangle will bring the family running for dinner! The 10" triangle comes complete with striker and thong for hanging.

G) 1107-1 10" Triangle & Striker

H) 1108-1 12" Long Arched Bracket



# COLONIAL PERIOD ELECTRIC CHANDELIERS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.



## A) Quincy

From our tinsmiths comes this classic colonial design executed in antique tin. Elegant in its simplicity, this piece is representative of early 18th century work.

Item No.	Arms	Metals	H	W
9764-5T	3	Tin	14"	22"
9774-5T	6	Tin	14"	24"
9784-5T	8	Tin	14"	30"

Tin



## B) Wentworth

A product of the tinsmiths craftsmanship, this chandelier displays a very traditional pierced tin body. A bulb mounted in the cone projects light downward.

Item No.	Arms	Metals	H	W
9763-5TP	4	Tin	16"	24"
9773-5TP	6	Tin	16"	28"

Tin



Quincy

Wentworth

Salem

Peabody

# COLONIAL PERIOD ELECTRIC CHANDELIERS

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING

Brass

Tin



C)

## C) Salem

Executed in either antique brass, or antique tin, the smaller proportions of this chandelier make it the perfect choice for an entry way, hall or dining room.

Item No.	Arms	Metals	H	W
9718-5	4	Tin or Brass	11"	20"
9708-5	6	Tin or Brass	14"	26"
9728-5	8	Tin or Brass	14"	30"



Tin



D)

Brass



## D) Peabody

Classic proportions make this piece a perfect choice for your 18th century decor. This pleasing tavern style is hand-crafted in both antique brass and antique tin.

Item No.	Arms	Metals	H	W
9707-5	6	Tin or Brass	15"	25"

Tin

Our Electrified Chandeliers are furnished with 2 feet of chain, matching ceiling canopy, beeswax candle sleeves and accept candelabra base bulbs up to 40 watts. Shades cannot be used on any chandelier with beeswax candle sleeves.

Chandeliers accept candelabra base bulbs of up to 40 watts which are available in clear or frosted for purchase.

# COLONIAL PERIOD ELECTRIC CHANDELIERS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.



Black over Red



## A) Adams

This fixture has a beautifully turned wooden body with antique iron arms and candle cups. The 6-arm design is ideal for an alcove, country kitchen or smaller dining room. The 8-arm is a great choice for a larger area. Available with either a painted or stained body.

Item No.	Arms	Metals	H	W
9729-5	6	Paint or Stain	14"	28"
9719-5	8	Paint or Stain	14"	28"

Country Red

Our wooden body chandeliers can be furnished in a variety of colors – both painted and stained. In addition, it is possible to combine accent colors for stripes or “show-thru” colors. The fixtures are mildly distressed to produce an aged look.

## B) Woodbury

A very attractive combination of a lathe turned wooden body, antique iron arms, and classic design. Available with either a painted or stained body.

Item No.	Arms	Metals	H	W
9726-5	6	Paint or Stain	12"	25"

Queen Anne Cherry Stain



Our Electrified Chandeliers are furnished with 2 feet of chain, matching ceiling canopy, beeswax candle sleeves and accept candelabra base bulbs up to 40 watts. Shades cannot be used on any chandelier with beeswax candle sleeves.



Country Red

Queen Anne  
Cherry Stain

Old Chestnut  
Stain

## CUSTOM FINISHES AVAILABLE

If you have a specific color or stain that you want matched, just provide a sample and your fixture will be finished accordingly.

# HAND-FORGED CHANDELIERS

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING

## A) Electric Chandelier

Picture this electrified chandelier at the center of your dining room. The matchless character of hand-forged iron, black iron candle cups and the convenience of electric light! If wired to a dimmer, you can create just the right mood. Natural beeswax candle sleeves, matching ceiling canopy and 2 feet of chain included.

Item No.	Arms	Metals	H	W
1854-1	4	Iron	28"	24"
1856-1	6	Iron	28"	24"



A)



## B) Ceiling Swivel Hook

This ceiling swivel hook can be used for mounting our candle chandelier or hanging anything else from the ceiling. 2" L x 1½" W.

B) 1130-1 Ceiling Swivel Hook



B)

C)

## C) Extender Hooks

We have 8" and 12" square extender hooks with a twist in the center for hanging our candle chandeliers. You can also find many other uses for these classic hooks in your home.

C) 1128-1 8" Extender Hook  
1129-1 12" Extender Hook



D)

## D) Candle Chandelier

Few aspects of decor create ambiance the way candle light does. Dine under that soft glow with our finely crafted, hand-forged chandelier. This piece combines a striking contrast between the subtle forged iron body with black iron candle cups. Some things remain timeless!  
(Candles not included).

Item No.	Arms	Metals	H	W
1830-1	4	Iron	28"	20"
1831-1	6	Iron	28"	20"



# INTERIOR SCONCES

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.



Tin

## B) Newport

Delightfully simple with a narrow "pie-crust" top, the single candelabra arm creates a very graceful style.

Item No.	Metals	H	W	D
9611-5S	Tin or Brass	11¼"	3½"	8"
9611-5L	Tin or Brass	11¼"	5"	8"

## C) Bridgewater

A single light sconce that is very representative of early designs with a delicate "pie-crust" top.

Item No.	Metals	H	W	D
9602-5S	Tin or Brass	14½"	3½"	3"
9602-5L	Tin or Brass	15"	4½"	3"

## D) Grafton

A very traditional fan pattern graces the top of this sconce. Perfect for an entryway.

Item No.	Metals	H	W	D
9608-5	Tin or Brass	12"	5"	3"



Tin

These hand-crafted Wall Sconces represent electrified recreations of both 18th and 19th century designs. Soft light from wall sconces is very effective in creating period decor. They even look great when switched off. Each are available in antique tin or antique brass and no lacquer is used to allow for natural aging of the metal. Natural beeswax sleeves are provided and all sconces accept candelabra base bulbs up to 40 watts. Candle cups in place of the electric sockets are available on special order.

## A) Tarrytown

A two-arm sconce with individual candle cups and a "pie-crust" top. Arm spread 10½".

Item No.	Metals	H	W	D
9607-5S	Tin or Brass	11¼"	3½"	7"
9607-5L	Tin or Brass	11¼"	5"	7"



Tin



Brass



Tin



Brass



Tin

## E) Pawling

The heat reflector of this two light sconce features a pierced heart pattern.

Item No.	Metals	H	W	D
9604-5	Tin or Brass	11¼"	6½"	3"

## F) Concord

A slightly less formal, early 18th century design with a round, hand-worked, heat reflector.

Item No.	Metals	H	W	D
9610-5	Tin or Brass	11"	8"	6"

# INTERIOR SCONCES

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING

## G) Lexington

Here is a very primitive sconce of clean, simple design. Smaller proportions make this appropriate for tight spaces.

Item No.	Metals	H	W	D
9612-5	Tin or Brass	10"	4"	3"

## H) Brimfield

A companion design to our Lexington sconce in a larger size with 2 sockets to provide extra illumination.


Item No.	Metals	H	W	D
9613-5	Tin or Brass	12½"	7"	3"



Brass



Tin



Tin



Brass



Tin



Tin

## I) Essex

The original design, with its top ring, suggests this sconce was intended to be moved about and hung wherever candlelight was needed.

Item No.	Metals	H	W	D
9614-5	Tin or Brass	12"	4"	3"

## J) Durham

This design represents the smallest of the sconces we offer. A very good choice where space is tight.

Item No.	Metals	H	W	D
9618-5	Tin or Brass	8½"	3"	2¼"

## K) Madison

The shape of these sconces is somewhat free form and represents a uniquely primitive style. Available in double (S) or triple (L) socket.

Item No.	Metals	H	W	D
9615-5S	Tin or Brass	8"	13¼"	3½"
9615-5L	Tin or Brass	10½"	16½"	3½"



Tin



Tin

# CEILING & MIRROR LIGHTS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.



Brass (Small)



## A-B) Ceiling Lights

These lights are based on 2 of our popular wall lantern designs and offer a great solution to many indoor and

outdoor lighting problems. Perfect for porches, entryways, hallways and closets. Seedy glass effectively eliminates any harshness and each will accept 2 bulbs, up to 60-watts.

## A) Stonington Ceiling Light

Item No.	Metals	H	W	D
9500-5S	Tin, Brass, Copper	5"	8"	8"
9500-5L	Tin, Brass, Copper	5"	8 1/4"	12 1/4"

Tin (Small)



## B) Watch Hill Ceiling Light

Item No.	Metals	H	W	D
9504-5S	Tin, Brass, Copper	5"	8"	8"
9504-5L	Tin, Brass, Copper	5"	10 1/4"	10 1/4"

## C-D) Stonington & Watch Hill Mirror Light

In recreating period décor, bathroom lighting always poses a challenge. We offer these attractive fixtures to mount over your bathroom mirror. Standard with seedy glass, they accept 3 bulbs up to 60 watts each. The hinged door allows easy access for changing bulbs. 5" D x 5" H x 20" L. Antique tin, brass or copper.



C) 9506-5 Stonington Mirror Light




D) 9507-5 Watch Hill Mirror Light

## E) Richmond Ceiling Light

The candelabra bulbs of this fixture will put forth a more intimate light. Beautiful, filigreed bands present a formal look.

Item No.	Metals	Sockets	H	W
9841-5	Copper, Brass or Black Brass	2	10"	8"



# IRON & TIN LAMPS

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING



Natural Linen Color  
Shade Included

## A-B) Iron Wall Lamps

Here's a very attractive combination of 18th century design and modern lighting that's perfect for mounting on a wall or an interior post. Popular with log home owners, too.

- A) 1820-1 Iron Wall Lamp/Plug-In  
Mounting Plate: 12½" H x 1½" W x 14" Proj.
- B) 1820-1HW Iron Wall Lamp/Hard Wire  
Mounting Plate: 12½" H x 3" W x 14" Proj.

## E) Pierced Tin Ceiling Light

We've carried the pierced tin theme into the design of this distinctive ceiling lamp. The snowflake pattern casts a fanciful scheme of light onto the ceiling and walls. The canopy is secured with an antique brass finial. Holds 2 bulbs up to 60 watts each. Antique tin finish. 9" Dia. x 4½" H.


- E) 9525 Pierced Tin Ceiling Light



## C) Iron Floor Lamps

Our floor lamps combine the design of an old candle stand with the practicality of a beautiful electric floor lamp. Hand-forged by our blacksmiths, this piece exhibits heirloom quality. The fixture can be moved up and down along the main post and pivots left to right. 58" H x 20" W.

- C) 1722-9 Ball Finial Floor Lamp
- 1721-9 Heart Finial Floor Lamp



Heart Finial

## D) Pierced Tin Lamp

Pierced tin lanterns such as this were originally candle fired and could be moved about the house to bring light where needed. Our electrified version of this old design is great for accent lighting that dark corner of any room. Furnished with a back mounting bracket so it can be hung on a wall or just placed on a table. Seedy glass softens the light that emanates from within. 19" H x 8" W.

- D) 3210-9 Pierced Tin Light/  
Plug-In

D)



Natural Linen Color  
Shade Included

C)

# HANGING LANTERNS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.

A)



## A) Foyer Chandelier

Our 3 light electric chandelier is a distinctive way to light your entryway. A forged iron frame supports a round pan with 3 candle cups. Finished in matte black. 12½" H x 8½" W x 6¼" D.

A) 9701-5 Foyer Chandelier

## B-C) Tinsmiths Chandelier

From the tinsmith's shop comes this primitive, early design that we offer in either candle or electric versions. Anywhere overhead light is needed, these will do the job. Available in either 2 or 4 light design.

Item No.	Metals	Sockets	H	W
B) 9702-5	Tin	2	14½"	9"
C) 9704-5	Tin	4	14½"	9"



C)



## D) Pierced Tin Store Lamp

This hanging lantern, with its pierced tin shade, was made popular during the 19th century. While the glass reservoir at its base stored oil for illumination, our version is fully electrified. 17½" H x 15½" W.

D) 9530 Pierced Tin Store Lamp

## E-G) Pierced Tin Revere Hanging Lanterns

These attractive pierced tin fixtures are hand-crafted, in 3 sizes and patterns, for use over a kitchen sink, under the ceiling of your porch, foyer or entry way. Each has a hinged door to facilitate bulb changing and comes complete with 2 feet of chain and ceiling plate. Open bottom, 1 bulb up to 60 watts.

Item No.	Metals	H	W
E) 452-HCT	Tin	12"	4"
F) 254-HCT	Tin	14"	5"
G) 230-HCT	Tin	16"	5½"

D)



Our Electrified Chandeliers are furnished with 2 feet of chain, matching ceiling canopy, beeswax candle sleeves and accept candelabra base bulbs up to 40 watts. Shades cannot be used on any chandelier with beeswax candle sleeves.

E)



F)



G)



# HAND WROUGHT WALL LANTERNS

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING



Brass  
Extra Large



Black Brass  
Large



Copper  
Small & Medium

## A-C) Onion Lantern

Onion lanterns are a wonderful choice to provide light in a period fashion. Open at the bottom these will cast light downward as well as horizontally. Available in 4 sizes.

A-B) Optic Globe or C) Clear Globe

Item No.	Size	Metals	Sockets	H	W	D
9800-5S	S		1	15½"	8"	9½"
9800-5M	M	Copper, Brass, or	1	19"	10½"	12"
9800-5L	L	Black Brass	1	21"	12"	13½"
9800-5XL	XL		2	25"	15½"	16"

Extra Large uses 2 candelabra bulb cluster.  
Please specify Clear or Optic Globe.

## D) Cornwall Lantern

A simple and clean traditional design that has an open bottom. Candelabra sockets provide the illumination. Available in 3 sizes.

Item No.	Size	Metals	Sockets	H	W	D
9810-S	S	Copper, Brass,	1	14"	5"	5"
9810-M	M	Tin,	2	17"	7"	6½"
9810-L	L	Black Copper	3	20"	9"	7½"

All lanterns are standard with clear glass.  
Seedy glass is available.



Brass  
Small

Tin  
Medium

D)

Copper  
Large

# HAND WROUGHT WALL LANTERNS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.

Our wall lanterns are hand-wrought from solid copper or brass; the traditional metals we favor for outdoor lighting. These pieces are not polished or lacquered but do receive a mild “antique” finish which chemically “ages” the metal. Once exposed to weather, natural aging takes over.

When selecting a lantern remember that the piece will be outdoors, and should therefore be large enough to appear correct from a distance away.



## A) Stonington Lantern

Traditional proportions and style make this lantern very pleasing to the eye. The glass guards, which bow out slightly, bring another interesting element to this design. Available in 3 sizes.

Item No.	Size	Metals	Sockets	H	W	D
9808-5S	S	Copper, Brass,	1	15"	5"	5½"
9808-5M	M	Tin or	1	21"	7"	7½"
9808-5L	L	Black Copper	1	25"	9"	9½"

\*The small size has an open bottom and top mounted socket.

## B) Easton Lantern

Travel the Connecticut Housatonic Valley and you will see the pyramid shaped top of our Easton design replicated over and over. A true New England classic. Available in 3 sizes.


Item No.	Size	Metals	Sockets	H	W	D
9804-5S	S	Copper, Brass,	1	16"	5"	5½"
9804-5M	M	Tin or	1	22"	7"	7½"
9804-5L	L	Black Copper	1	26"	9"	9½"

\*The small size has an open bottom and top mounted socket.

## C) Barn Lantern

As the wooden handle implies, these lights were originally designed to be carried around the farm. We have adapted the design for wall mounting. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W	D
9805-5S	S	Copper, Brass, Tin	1	17"	6¾"	7¼"
9805-5L	L	or Black Brass	1	21"	9"	9¾"



# HAND WROUGHT WALL LANTERNS

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING

## D) Haddam Lantern

This is the latest addition to our collection of 18th Century designs. Its sturdy appearance is offset by the large top ring. Open at the bottom. Available in 3 sizes.

Item No.	Size	Metals	Sockets	H	W	D
9813-5S	S	Copper, Brass,	1	15"	5½"	5½"
9813-5M	M	Tin or	2	17"	7"	6½"
9813-5L	L	Black Copper	3	19"	9"	7½"

## E) Cambridge Lantern

Originally imported from England, the cylindrical body of this lantern spreads light all the way around its circumference. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W	D
9809-5S	S	Copper, Brass,	1	16"	6"	8½"
9809-5L	L	or Black Brass	1	20½"	8½"	11¾"

## F) Watch Hill Lantern

The curved outer roof of this design presents a more formal appearance for your home. Solid wire grating protects the glass.

Item No.	Metals	Sockets	H	W	D
9806-5	Copper, Brass Tin, or Black Copper	1	17½"	9¼"	10¼"



# HAND WROUGHT WALL LANTERNS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.



## A) Franklin Lantern

Old Yankees were known for being frugal and here is a lantern that proves it! This unique triangular design requires only 2 pieces of glass and a little less metal.

Item No.	Metals	Sockets	H	W	D
9812-5	Copper, Brass, or Black Brass	1	15½"	12½"	9"

## B) Salisbury Lantern

With its elegant mansard style roof and wire guards, this fixture works well in more formal settings. If your architecture is more stately, this lantern is a good choice. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W	D
9803-5S	S	Copper, Brass, or Black Brass	1	13"	6"	6½"
9803-5L	L		2	16"	9¼"	6½"

## C) Cape Cod Lantern

New England lantern makers produced this graceful design during the late 1700's. The top and bottom scroll brackets impart a tall, slender look.

Item No.	Metals	Sockets	H	W	D
9801-5	Copper, Brass, Tin or Black Copper	1	23"	7"	6¼"

## D) Ships Lantern

One of our smaller lanterns that is perfect for side entrances or use a pair for the front door.

Item No.	Metals	Sockets	H	W	D
9807-5	Copper, Brass, Tin or Black Copper	2	13½"	7"	6½"



# HAND WROUGHT HANGING LANTERNS

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING

## A) Onion Hanging Lantern

Onion lanterns work so well in a variety of period decors. These are hand-made in New England with quality you will appreciate. Clear or Optic Globe. Available in 4 sizes.

Item No.	Size	Metals	Sockets	H	W
9829-5S	S	Copper, Brass or Black Brass	1	13"	8"
9829-5M	M		1	15½"	10½"
9829-5L	L		1	17"	12"
9829-5XL	XL		2	20"	15"

Extra Large uses 2 candelabra bulb cluster.  
Please specify Clear or Optic Globe.

## B) Onion Flush Mount Lantern

This flush mount style enables you to use the onion design in areas where ceiling height is limited. Clear or Optic Globe. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W
9831-5S	S	Copper, Brass or Black Brass	1	10½"	8"
9831-5M	M		1	12"	10"

Please specify Clear or Optic Globe.

## C) Cambridge Hanging Lantern

Here is a lantern with a very unique shape that features a large, spun roof. Wire guards help protect the glass. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W
9821-5S	S	Copper, Brass or Black Brass	1	13"	6½"
9821-5L	L		1	17"	8½"

The Cornwall, Stonington and Easton lanterns are among the most popular designs in our collection. We bring great quality and detail to these traditional 18th century favorites. Available in 3 sizes.

## D) Cornwall Hanging Lantern



Item No.	Size	Metals	Sockets	H	W
9850-5S	S	Copper, Brass, Tin or Black Copper	1	14"	5"
9850-5M	M		1	17"	7"
9850-5L	L		1	20"	9"

## E) Stonington Hanging Lantern

Item No.	Size	Metals	Sockets	H	W
9828-5S	S	Copper, Brass, Tin or Black Copper	1	12"	5¼"
9828-5M	M		1	16½"	7¼"
9828-5L	L		1	19½"	9¼"

## F) Easton Hanging Lantern

Item No.	Size	Metals	Sockets	H	W
9830-5S	S	Copper, Brass, Tin or Black Copper	1	13"	5¼"
9830-5M	M		1	18"	7¼"
9830-5L	L		1	21½"	9¼"



# HAND WROUGHT POST LANTERNS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.



Copper  
Medium &  
Large

When selecting a post or wall lantern, please don't be concerned that the piece will be too large. Keep in mind that the lantern will be outside and viewed from a distance, where the larger scale is a necessity.

"Three light clusters" are available in place of the "Single Light & Chimney" at a small additional charge.

Each post lantern uses a standard 3" diameter post collar. The dimensions given for each fixture are for the body and finial only. They do not include the height of the collar.

## A) Wolfeboro Post Lantern

Good proportions and attention to detail is the key to this fixture's good looks. A classic design, well executed by our metal smiths. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W
9900-5M	M	Copper, Brass or Black Brass	1	26"	12"
9900-5L	L	Copper, Brass or Black Brass	1	29"	14"

## B) Cornwall Post Lantern

Named for a quaint town in the Litchfield Hills, traditional design and sturdy construction define this handsome fixture.

Item No.	Metals	Sockets	H	W
9950-5	Copper, Brass, Tin or Black Copper	3	22"	9½"

## C) Watch Hill Post Lantern

Commemorating this Rhode Island waterfront town, our Watch Hill lantern calls forth thoughts of a graceful design.

Item No.	Metals	Sockets	H	W
9934-5	Copper, Brass, Tin or Black Copper	1	21"	9¼"

## D) Easton Post Lantern

Uppermost in our idea to include the Easton design in our lighting collection was its strong history among period designs. It has a rustic charm that is in keeping with its 18th century origin. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W
9932-5M	M	Copper, Brass, Tin or Black Copper	1	21"	7¼"
9932-5L	L	Copper, Brass, Tin or Black Copper	1	24"	9¼"



Tin



Copper



Copper  
Medium &  
Large

# HAND WROUGHT POST LANTERNS

HANDCRAFTED IN U.S.A. • PERIOD LIGHTING

Our "Post Lanterns" are crafted in solid copper or brass and the finials are hand-spun to reproduce actual period work. The final finish is a light "antique" patina. No lacquer is used to allow the metal to darken naturally over time.

The charm of illumination from a post mounted lantern is unmistakable and very much part of an outdoor setting during the colonial period.

Originally designed for either gas or oil, our electrified reproductions recreate this delightful effect which you'll enjoy from the first evening you turn on the switch. In addition to lighting a walkway, these lanterns are perfect for use in garden areas, driveways or out by the road.

## F-H) Onion Post Lantern

To complement our Onion wall and hanging fixtures, we offer Onion post lanterns with a variety of design features. Some folks feel that Onion lanterns evoke a nautical theme, but we are comfortable using them just about anywhere. Clear or Optic Globe. Available in 2 sizes.



Item No.	Size	Metals	Sockets	H	W
9930-5L	L	Copper, Brass or Black Brass	1	20"	12"
9930-5XL	XL	Copper, Brass or Black Brass	3	22"	14½"

Extra Large uses a 3 light cluster.  
Please specify Clear or Optic Globe.

## E) Stonington Post Lantern

Here's our Stonington design expressed in a post lantern, both attractive and authentic. The curved guards add an interesting element to this period style. Available in 2 sizes.

Item No.	Size	Metals	Sockets	H	W
9936-5M	M	Copper, Brass, Tin or Black Copper	1	20"	7¼"
9936-5L	L	Copper, Brass, Tin or Black Copper	1	22"	9¼"



# HAND WROUGHT POST LANTERNS

PERIOD LIGHTING • HANDCRAFTED IN U.S.A.

## A) Haddam Post Lantern


Here is a post lantern with clean, traditional lines, typical of those from the early homes of the Connecticut River Valley.

Item No.	Metals	Sockets	H	W	D
9937-5	Copper, Brass, Tin or Black Copper	3	21"	9"	9"

## B) Cambridge Post Lantern

This lantern represents a distinctive design that is perfectly suited for a variety of architectures, both period and contemporary. The scale of this fixture is large and will make an impressive statement.

Item No.	Metals	Sockets	H	W
9938-5	Copper, Brass or Black Brass	1	25"	10"



# WOODEN POSTS


PERIOD LIGHTING • HANDCRAFTED IN U.S.A.

## A-E) Wooden Posts


To perfectly complement our post lanterns, choose one of these attractive wooden posts. Each is hand crafted in select, solid red cedar for natural decay resistance and center bored for wiring. The 4" x 4" x 8' posts are all wood, while the larger sizes feature a heavy gauge PVC base.

ITEM NUMBER	STANDARD SIZE	OPTIONAL SIZE**
A) 104-S	4" x 4" x 8'	5" x 5" x 8' or
B) 104-T		6" x 6" x 8'
C) 100 D) 103	5" x 5" x 8'	6" x 6" x 8'
E) 107 F) 109-SM		

\*\*All posts also available in 10' height.



Installation Detail



# BRASS DOORKNOCKERS

BRASS & PORCELAIN

A)



B)



A door knocker traditionally provided the means by which a homeowner could decorate their entryway and create a gracious first impression. These authentically detailed brass knockers are hand polished and protected by a lacquer finish.

## Brass Door Knockers

- A) 3115 Colonial "S" Door Knocker  
7<sup>3</sup>/<sub>8</sub>" H x 1<sup>3</sup>/<sub>8</sub>" W.
- B) 3240 Horse Head Door Knocker  
9<sup>1</sup>/<sub>4</sub>" H x 2<sup>3</sup>/<sub>8</sub>" W.
- C) 3245 Anson Street Door Knocker  
6" H x 5" W.
- D) 3250 Lions Head Door Knocker  
5<sup>1</sup>/<sub>2</sub>" H x 5<sup>1</sup>/<sub>2</sub>" W.
- E) 3022 Pineapple Door Knocker  
6<sup>1</sup>/<sub>2</sub>" H x 4" W.
- F) 3115-DB Colonial "S" Door Knocker  
(Oil Rubbed Bronze Finish, un-lacquered)  
7<sup>3</sup>/<sub>8</sub>" H x 1<sup>3</sup>/<sub>8</sub>" W.

C)



D)



E)



F)



# BRASS ENTRANCE DOOR HARDWARE

BRASS & PORCELAIN



## Brass Entrance Sets for Pre-Bored Doors

Our forged brass entrance door sets can be combined with any knob or lever set, shown on pages 42 and 43, for the interior side of the door. Each set comes complete with a matching single cylinder deadbolt. (Double cylinder available).

- A) 4520 Richmond Entrance Set  
12" H x 3" W.
- B) 4510 Northampton Entrance Set  
13" H x 3" W.

A and B are available in "Dummy" configuration for double door installations.


## Security Deadbolts

For secure locking of exterior doors we offer these sturdy deadbolts in matching finishes.

**SINGLE CYLINDER** features a keyed cylinder lock outside and a thumb turn piece inside.

**DOUBLE CYLINDER** provides keyed cylinder locks inside and outside.




- C) 850 Single Cylinder Brass Deadbolt  
2½" Dia. with a 1" throw.
- D) 855 Double Cylinder Brass Deadbolt  
2½" Dia. with a 1" throw.



## Entrance Door Knob Sets

These are designed for use on most any entrance door with combined latching and locking functions.

- E) 510 Plymouth Entrance Knob Set  
Knob: 2½" Dia. Rose: 2¾" Dia.
- F) 509 Westport Entrance Knob Set  
Knob: 2½" Dia. Rose: 2¾" Dia.
- G) 512 Heritage Oval Entrance Knob Set  
Knob: 2¾" Dia. Rose: 2¾" Dia.



Please select from these finishes for any hardware on this page.



Life Time PVD



Olde Brass



Dark Bronze



Pewter



Satin Nickel



Polished Chrome

# SAND CAST BRONZE DOOR HARDWARE

BRASS & PORCELAIN

For a rustic, southwest style, choose this uniquely designed door hardware. Sand casting in bronze produces a distinctive texture that can be furnished in 2 different patinas as shown below. Matching dummy pulls available.

## Sand Cast Bronze Entrance Sets for Pre-Bored Doors

The complete set includes a thumbblatch handle and single cylinder deadbolt. For the interior side of the door select from the knob or lever designs shown below (C-E). (Double cylinder available).

- A) 4415 El Paso Entrance Set  
11" H x 3" W.
- B) 4425 Sequoia Entrance Set  
(Requires 5½" center-to-center hole spacing).  
19½" H x 3" W.

A and B are available in "Dummy" configuration for double door installations.

## Sand Cast Bronze Interior Door Knob & Lever Sets


For a rustic timber frame or log home, the unique sand cast texture of these solid bronze knobs and lever sets are perfect for your doors.

- C) 471 Mesa Door Lever Set  
Lever: 5" L.  
Rose: 2¾" Dia.
- D) 474 Wasatch Door Knob Set  
Knob: 2½" Dia.  
Rose: 2¾" Dia.
- E) 472 Sonora Door Knob Set  
Knob: 2¼" Dia.  
Rose: 2¾" Dia.



Please specify for all door handles on pages 40 & 41.

- Backset (2⅜" or 2¾").
- Door Thickness (1¼" to 2½").
- Finish (See choices below).
- Handing for lever sets (Left or Right).



Please select from these finishes for any hardware on this page.



Dark Bronze  
2¾" Dia.



Silver Patina  
2¾" Dia.


## Security Deadbolts

For secure locking of exterior doors we offer these sturdy deadbolts in matching finishes.

SINGLE CYLINDER features a keyed cylinder lock outside and a thumb turn piece inside.

DOUBLE CYLINDER provides keyed cylinder locks inside and outside.

- F) 860 Single Cylinder Bronze Deadbolt  
2½" Dia with a 1" throw.
- G) 865 Double Cylinder Bronze Deadbolt  
2½" Dia with a 1" throw.



# INTERIOR DOOR HARDWARE

## BRASS & PORCELAIN

The "Classic Collection" of knob and lever sets recalls the design and quality of another era. Elegantly styled and crafted from solid brass, porcelain or leaded crystal these are the perfect choice for a more formal look.

We now offer a broad range of finishes and textures to precisely blend with your décor.



A) 3001E Rope Knob Set  
Knob: 2¼" Dia.  
(Olde Brass shown)



B) 7103E Ribbon & Reed Knob Set  
Knob: 2¼" Dia.  
(Polished Brass shown)



C) 3010E Plymouth Knob Set  
Knob: 2¼" Dia.  
(Dark Bronze shown)



D) 3018E Westport Knob Set  
Knob: 2¼" Dia.  
(Pewter shown)



E) 7102E Heritage Oval Knob Set  
Knob: 2¼" Dia.  
(Polished Brass shown)



F) 6105E Scroll Lever Set  
Lever: 3¾" L.  
(Satin Nickel shown)




G) 6103E Traditional Lever Set  
Lever: 4½" L.  
(Olde Brass shown)



H) 6107E Curved Century Lever Set  
Lever: 4¼" L.  
(Dark Bronze shown)

### Pre-Bored Backset Dimensions

Standard Backset 2⅜"  
Optional Backset 2¾"



I) 6104E Rope Lever Set  
Lever: 4½" L.  
(Pewter shown)



J) 6109E Ribbon & Reed Lever Set  
Lever: 5" L.  
(Polished Brass shown)

### Please specify for all door handles on pages 42 & 43:

- Function (Passage, Privacy or Dummy).
- Backset (2⅜" or 2¾").
- Door Thickness (1¾" to 3").
- Finish (See choices on page 43).
- Handing for lever sets (Left or Right).



### Classic Collection Knobs & Levers

All passage and privacy sets come complete with 2 knobs or 2 levers, 2 rosettes, latch, strike and mounting hardware. Easily installs on standard pre-bored doors.

Tailor your hardware by combining different knobs or levers on each side of the door. Mix and match the finishes, too.

# INTERIOR DOOR HARDWARE

BRASS & PORCELAIN

If you are in search of a more intimate look for your home, choose our "Norwich Collection" of both porcelain or leaded crystal knobs. The porcelain designs recreate the unmistakable style of the late 19th century, using either solid brass or ceramic rosettes. One of the most popular designs of the early 20th century was colonial revival that was characterized by crystal door knobs such as the Fenwick and Eastham.



**K) 3009E Windsor White Knob Set**  
Knob: 2 1/4" Dia.  
(White Porcelain Rosette shown)



**L) 3007E Windsor Almond Knob Set**  
Knob: 2 1/4" Dia.  
(Pewter Rosette shown)



**M) 3002E Hampton Knob Set**  
Knob: 2 1/4" Dia.  
(Polished Chrome Rosette shown)



**N) 3016E Balmoral Knob Set**  
Knob: 2 1/4" Dia.  
(Polished Brass Rosette shown)



**O) 3004E Rockingham Knob Set**  
Knob: 2 1/4" Dia.  
(Dark Bronze Rosette shown)



**P) 3003E Huntington Knob Set**  
Knob: 2 1/4" Dia.  
(Polished Brass Rosette shown)



**Q) 3033E Fenwick Clear Knob Set**  
Knob: 2 1/4" Dia.  
(Pewter Rosette shown)



**R) 3032E Fenwick White Knob Set**  
Knob: 2 1/4" Dia.  
(Dark Bronze Rosette shown)



**S) 3034E Eastham Knob Set**  
Knob: 2" Dia.  
(Satin Nickel Rosette shown)

Please select from these finishes for any hardware A-S on pages 42 & 43. All rosettes are 2 3/4" diameter.



Polished Brass



Olde Brass



Dark Bronze



Pewter



Satin Nickel



Polished Chrome



White Porcelain

## Finish & Rosette Styles for T-V.

Please select from these finishes & rosettes for hardware T-V on this page.



**T) 6106E Florence Lever Set**  
Lever: 4 1/4" L.  
(Medium Bronze shown)



**U) 7108E Sienna Knob Set**  
Knob: 2 1/4" Dia.  
(Dark Bronze shown)



**V) 7109E Milan Knob Set**  
Knob: 2 1/2" Dia.  
(Silver Patina shown)



**Rosette #1**  
4-1/2" H x 2-1/2" W  
(Medium Bronze)



**Rosette #2**  
2-5/8" Dia.  
(Dark Bronze)



**Rosette #3**  
4-1/2" H x 2-3/8" W  
(Silver Patina)

# WINDOW & DOOR HARDWARE

BRASS & PORCELAIN


Please see page 45 for available finishes.



## Pocket Door Hardware

A pocket door is a great solution for design problems that do not allow space for the swing of a door. Here is the hardware you will need to complete the installation.

- A) 230 Pocket Door Edge Pull  
3<sup>7</sup>/<sub>8</sub>" H x 3/4" W x 1<sup>5</sup>/<sub>8</sub>" D.
- B) 42 Pocket Door Bolt  
3" H x 1<sup>1</sup>/<sub>8</sub>" W x 5/8" D.
- C) 223 Pocket Door Flush Pull  
3<sup>9</sup>/<sub>16</sub>" H x 1<sup>3</sup>/<sub>16</sub>" W x 1/2" D.



## Surface Bolt

Our 1<sup>1</sup>/<sub>4</sub>" colonial knob graces these solid brass bolts. Perfect for French doors, entrance doors or anywhere secure closure is required. Available in 8", 12", 18" or 24" lengths x 1<sup>1</sup>/<sub>16</sub>" W.

(Please specify universal or mortise strike plate).

- H) 935 Surface Bolt

## Crescent Sash Lock

Extra heavy, solid brass construction that will securely lock your double hung windows.

Lock: 2<sup>5</sup>/<sub>8</sub>" L x 1<sup>5</sup>/<sub>16</sub>" W.  
Strike: 2<sup>3</sup>/<sub>8</sub>" L x 5/8" W.


- D) 995 Crescent Sash Lock

## Sash Lift

This brass sash lift will bring a sophisticated look to your window and facilitate opening in a safe manner.

Base Plate: 7/8" H x 1<sup>5</sup>/<sub>8</sub>" W.  
Projects: 3/4".


- E) 951 Sash Lift



## Mortise Door Bolt

Add a privacy function to any door. Classic oval shaped thumb turn and back plate.

- I) 48 Mortise Door Bolt  
Case: 2<sup>1</sup>/<sub>2</sub>" L x 9/16" Dia.  
Backset: 1<sup>3</sup>/<sub>4</sub>".  
Throw: 1/2".  
Bolt Diameter: 1/2".



## Cupboard Latch

A very decorative, surface mounted latch.

Latch: 1<sup>3</sup>/<sub>4</sub>" H x 1<sup>1</sup>/<sub>8</sub>" W.  
Strike: 1<sup>3</sup>/<sub>4</sub>" H x 3/8" W.

- F) 540 Cupboard Latch

## Ventilating Window Bolt

Features a spring-loaded bolt and 3 strike plates for holding a sash in any of 3 positions.

Bolt: 1<sup>3</sup>/<sub>16</sub>" L x 1<sup>3</sup>/<sub>16</sub>" W.  
Strike: 1<sup>7</sup>/<sub>16</sub>" L x 9/16" W.

- G) 985 Ventilating Window Bolt



## Ball Catches

Ideal for use on closet and cupboard doors. Adjustable for spring tension and door-jamb clearance.

- J) 345 Small Ball Catch  
(min. 3/4" thick door)  
Face Plate: 1<sup>1</sup>/<sub>2</sub>" x 3/4" W.
- 346 Large Ball Catch  
(min. 1<sup>1</sup>/<sub>4</sub>" thick door)  
Face Plate: 2<sup>1</sup>/<sub>8</sub>" x 1" W.


## Door Stops

These 2 styles of solid brass door stops have a threaded stud for easy installation.

- K) 64 Baseboard Door Stop: 3" L.
- L) 430 Floor Door Stop: 1<sup>5</sup>/<sub>16</sub>" H.

# CABINET HARDWARE

BRASS & PORCELAIN



## Brass Cabinet Knobs

Choose these finely crafted brass knobs for your cabinetry and explore the variety of finishes now available.

(Please see color chart below for finishes).

- A) 521A 1" Round Cab. Knob  
521B 1 1/4" Round Cab. Knob
- B) 535A 1" Oval Cab. Knob  
535B 1 1/4" Oval Cab. Knob
- C) 523A 1" Colonial Cab. Knob  
523B 1 1/4" Colonial Cab. Knob




## Crystal Cabinet Knobs

The Fenwick and Huntington cabinet knobs have integral brass bases. The Eastham cabinet knob has brass or nickel finish exposed mounting screw. For D please specify clear or white knob.

(Please see color chart below for brass base finishes on D & E).

(See page 43 for matching door knobs).

- D) 302 1" Fenwick Cab. Knob  
312 1 1/4" Fenwick Cab. Knob
- E) 303 1" Huntington Cab. Knob  
313 1 1/4" Huntington Cab. Knob
- F) 304 1 1/8" Eastham Cab. Knob



## Porcelain Cabinet Knobs

These cabinet knobs come complete with a separate 1 1/2" rosette, in your choice of finishes. These knobs are all 1 3/8".

(Please see color chart below for rosette finishes on G thru K).

(See page 43 for matching door knobs).

- G) 342 Windsor Almond Cab. Knob
- H) 340 Hampton Cab. Knob
- I) 349 Windsor White Cab. Knob
- J) 344 Rockingham Cab. Knob
- K) 346 Balmoral Cab. Knob

Please select from these finishes for A-L on page 44 (excluding Olde Brass) and A-K on page 45.




## Sand Cast Bronze Cabinet Knobs

The sand casting process by which these knobs are made results in a porous surface texture. Available in either dark bronze or silver patina.

(See page 41 for matching door knobs & finishes).

- L) 481 1" Wasatch Cab. Knob  
491 1 1/4" Wasatch Cab. Knob
- M) 482 1" Sonora Cab. Knob  
492 1 1/4" Sonora Cab. Knob




## Porcelain Cabinet Knobs

The Edgartown and Manchester knobs have an integral black cast iron base.

(See page 50 for matching door knobs).

- N) 327-FB 1 1/4" Edgartown Cab. Knob  
337-FB 1 3/4" Edgartown Wardrobe Knob
- O) 328-FB 1 1/4" Manchester Cab. Knob  
338-FB 1 3/4" Manchester Wardrobe Knob




# DOOR & CABINET HINGES


BRASS & PORCELAIN




## Hole Patterns



3" x 3"  
3 1/2" x 3 1/2"



4" x 4"  
4 1/2" x 4 1/2"



5" x 5"

Ball Bearing only

## Door Hinges – Exterior & Interior


These solid brass extruded butt hinges represent the best of precision manufacturing and high quality finish work. Choose from a wide variety of sizes and finishes to match most of our knob or lever sets. Button tip finials and matching screws are included.

ITEM #	SIZE	ITEM #	SIZE
3030	3" x 3"	4545	4 1/2" x 4 1/2"
3535	3 1/2" x 3 1/2"	5050	5" x 5"
4040	4" x 4"		


## Door Finial Options




## Hole Patterns



1 1/2" x 1 1/2"



2" x 1 1/2"  
2" x 2"  
2 1/2" x 1 3/4"  
2 1/2" x 2"



2 1/2" x 2 1/2"  
3" x 2"  
3" x 2 1/2"

## Cabinet Hinges

For your cabinetry, we offer the same superior quality and selection as with our door hinges. Ball tip finials are standard and all mounting screws are included.

ITEM #	SIZE	ITEM #	SIZE
1115	1 1/2" x 1 1/2"	2120	2 1/2" x 2"
2015	2" x 1 1/2"	2121	2 1/2" x 2 1/2"
2020	2" x 2"	3020	3" x 2"
2175	2 1/2" x 1 3/4"	3025	3" x 2 1/2"

## Cabinet Finial Options



Polished Brass



Life Time Finish



Antique Brass



Oil Rubbed Dark Bronze



Polished Chrome



Satin Chrome



Satin Nickel



Antique Satin Nickel



Matte Black Door Hinge Only



## Finishes for Door & Cabinet Hinges

Polished Brass (w/wo Lacquer)    Satin Chrome  
 Lifetime Polished Brass        Satin Nickel  
 Antique Brass                      Antique Satin Nickel  
 Oil Rubbed Dark Bronze        Matte Black (Door Hinges Only)  
 Polished Chrome

# IRON DOOR KNOCKERS

MACHINE-FORGED IRON



(Hand-Forged)



(Hand-Forged)



(Hand-Forged)



(Machine-Forged)



(Machine-Forged)



(Hand-Forged)



(Machine-Forged)


*Here is a collection of historically popular door knockers in both hand-forged and machine-forged iron. Any of these are appropriate for 18th or early 19th century style homes.*

- A) 1906-1 Norwich Door Knocker  
6" H x 4" W.
- B) 1904-1 Colonial Door Knocker  
8" H x 2 1/4" W.
- C) 1902-1 Heart Door Knocker  
7" H x 4" W.
- D) 3135 Heart Door Knocker  
7" H x 3 3/4" W.
- E) 3131 Swordfish Door Knocker  
8 3/4" H x 3 3/4" W.
- F) 1903-1 Bean Door Knocker  
6" L x 4" W.
- G) 3139 Bean Door Knocker  
6" L x 3 3/4" W.



# INTERIOR DOOR HARDWARE


MACHINE-FORGED IRON



## Suffolk & Norfolk Thumbblatches

Our machine forged latch sets represent the look of period hardware at a very economical price. For use on doors up to 1<sup>3</sup>/<sub>8</sub>" thick. Smooth matte black finish. Suffolk latches (A-C) are furnished complete with "standard" and "reverse bevel" trim. Norfolk latch (D) please specify "standard" or "reverse bevel" trim.

- |   |   |
|---|---|
| A) 2561-3 Bean Thumbblatch:<br>6 <sup>3</sup> / <sub>4</sub> " L x 2 <sup>1</sup> / <sub>8</sub> " W. | C) 2471-3 Heart with Curved Handle Thumbblatch:<br>8 <sup>1</sup> / <sub>2</sub> " L x 2 <sup>1</sup> / <sub>4</sub> " W. |
| B) 2381-3 Arrow-Head Thumbblatch:<br>7 <sup>3</sup> / <sub>4</sub> " L x 2" W.                        | D) 4408-8 Norfolk Thumbblatch:<br>7 <sup>1</sup> / <sub>2</sub> " L x 1 <sup>1</sup> / <sub>2</sub> " W.                  |



## Suffolk & Norfolk Door Pulls

These machine-forged pulls are for doors that have other latching provisions. Smooth matte black finish.

- |  |
|--|
| E) 295-3 Bean Door Pull:<br>6 <sup>3</sup> / <sub>4</sub> " L x 2 <sup>1</sup> / <sub>8</sub> " W.     |
| F) 281-3 Arrow-Head Door Pull:<br>7 <sup>3</sup> / <sub>4</sub> " L x 2" W.                            |
| G) 291-3 Heart Door Pull:<br>8 <sup>1</sup> / <sub>2</sub> " L x 2 <sup>1</sup> / <sub>4</sub> " W.    |
| H) 4409-8 Norfolk Door Pull:<br>7 <sup>1</sup> / <sub>2</sub> " L x 1 <sup>1</sup> / <sub>2</sub> " W. |


## 7 H & HL Hinges

Known for their strength and the legendary aspect of the design, these hinges impart a distinct colonial quality. Smooth matte black finish.

- |   |
|---|
| I) 437-3 7" H Hinges: 2 <sup>3</sup> / <sub>4</sub> " W.  |
| J) 447-3 7" HL Hinges: 6 <sup>3</sup> / <sub>4</sub> " W. |

## Trimsets for thumbblatches A-D.

### 1. Standard Trim




Standard Trim for use on in-swing doors. Example might be bedroom doors.

### 2. Reverse Bevel Trim




Reverse Bevel Trim for use on out-swing doors. Examples might be closet or basement doors.



# INTERIOR DOOR HARDWARE

MACHINE-FORGED IRON



## Aspen Leaf Thumbblatch

This thumbblatch has a heavy cast handle that is perfect for those larger interior or entrance doors. The larger grip has a massive feel. For thicker doors up to 1 3/4" thick. Textured matte black finish. 9 1/4" L x 2 1/4" W.

(Please specify "standard" or "reverse bevel" trim for use with thumbblatch).

- A) 5030-3 Aspen Leaf Door Pull
- B) 5029-3 Aspen Leaf Thumbblatch with Trim Set




Standard Trim

Reverse Bevel Trim

## Butt Hinges

Our iron butt hinges have button tips and removable pins. Smooth matte black finish.

- C) 801-3 2 1/2" x 3" (.090 thick)
- 802-3 3" x 3" (.090 thick)
- 803-3 3 1/2" x 3 1/2" (.122 thick)
- 804-3 4" x 4" (.132 thick)
- 805-3 4 1/2" x 4 1/2" (.134 thick)
- 806-3 5" x 5" (.146 thick)



## Strap Hinges

Designed for interior doors, these machine-forged strap hinges offer strength and style. Removable pins make the butt plates reversible. Suitable for doors up to 30-lbs. in weight.

Butt Plate: 3 1/8" H x 1 3/8" W. Matte black finish.

- |  |   |
|--|---|
| <p>D) Ball &amp; Spear Straps:<br/>Smooth Finish</p> <ul style="list-style-type: none"> <li>122-3 10" Strap Hinge</li> <li>123-3 13" Strap Hinge</li> <li>128-3 18" Strap Hinge</li> </ul> | <p>E) Heart Straps:<br/>Textured Finish</p> <ul style="list-style-type: none"> <li>5009-3 9" Strap Hinge</li> <li>5013-3 13" Strap Hinge</li> </ul> |
|--|---|

## Dummy Strap Hinges



These decorative straps work with existing butt hinges and are easily added to your door. Matte black finish.

- |   |   |
|---|---|
| <p>F) Ball &amp; Spear Dummy Straps:<br/>Smooth Finish</p> <ul style="list-style-type: none"> <li>514-3 14" Dummy Strap</li> <li>519-3 19" Dummy Strap</li> </ul> | <p>G) Heart Dummy Straps:<br/>Textured Finish</p> <ul style="list-style-type: none"> <li>609-3 9" Dummy Strap</li> <li>614-3 14" Dummy Strap</li> </ul> |
|---|---|

# WROUGHT STEEL DOOR HARDWARE

MACHINE-FORGED IRON

Our "Foundry Collection" of knobs and lever sets are a great way to retain an old-world look with modern function. These are perfect for timber frames, log homes or any rustic décor and install quickly on pre-bored doors. Mix and match any knob or lever with any of the 3 distinctive rosette styles. Textured flat black finish. (See page 52 for matching deadbolts).



- |        |                      |        |                      |
|--------|----------------------|--------|----------------------|
| A) 710 | Northfield Knob Set  | E) 712 | Durham Lever Set     |
|        | Knob: 2 1/4" Dia.    |        | Lever: 4 3/4" L.     |
| B) 711 | Charlestown Knob Set | F) 713 | York Lever Set       |
|        | Knob: 2 1/4" Dia.    |        | Lever: 4 1/2" L.     |
| C) 317 | Edgartown Knob Set   | G) 714 | New Castle Lever Set |
|        | Knob: 2 1/4" Dia.    |        | Lever: 6" L.         |
| D) 318 | Manchester Knob Set  |        |                      |
|        | Knob: 2 1/4" Dia.    |        |                      |



Rosette #1  
4 3/8" H x 2 1/2" W





Rosette #2  
2 3/8" Dia.



Rosette #3  
4 3/8" H x 2 1/2" W.

### Please Specify

- Rosette Style (#1, #2 or #3).
- Backset (2 3/8" or 2 3/4").
- Door Thickness (1 3/8" to 2 3/4").
- Function (Passage, Privacy, or Dummy).
- Handing for Lever Sets (Left or Right).



3 1/2" x 3 1/2"

### Butt Hinges


These steel butt hinges have button tips with removable pins. A textured flat black finish matches the knobs and levers above.

5/8" Radius Corners.

- H) 943-FB 3 1/2" x 3 1/2" (.090" thick).  
944-FB 4" x 4" (.098" thick).

Square Corners.


- I) 903-FB 3 1/2" x 3 1/2" (.090" thick).  
904-FB 4" x 4" (.098" thick).



4" x 4"

# ENTRANCE DOOR HARDWARE

MACHINE-FORGED IRON



## Heavy Duty Strap Hinges


Perfect for exterior doors, these extra strong machine forged strap hinges offer strength and style. Removable pins make the butt plates reversible. Suitable for doors up to 70-lbs in weight. Matte black finish. Butt Plate: 4" H x 2" W.

- |  |   |
|--|---|
| A) Bean Straps:<br>Smooth Finish<br>160-3 16" Strap: Smooth<br>120-3 20" Strap: Smooth         | C) Heart Straps:<br>Textured Finish<br>5017-3 17" Strap: Textured<br>5020-3 21" Strap: Textured |
| B) Bean Straps:<br>Textured Finish<br>5015-3 16" Strap: Textured<br>5019-3 20" Strap: Textured |   |

## Dummy Strap Hinges

These decorative straps work with existing butt hinges and are easily added to your door. The 24" and 31" are made from a heavy sand-cast aluminum, with the others wrought from heavy steel. Matte black finish.

- |  |  |
|--|--|
| D) Bean Dummy Straps:<br>Smooth Finish<br>517-3 17" Dummy Strap<br>521-3 21" Dummy Strap   | F) Heart Dummy Straps:<br>Textured Finish<br>619-3 19" Dummy Strap<br>622-3 22" Dummy Strap      |
| E) Bean Dummy Straps:<br>Textured Finish<br>617-3 17" Dummy Strap<br>621-3 21" Dummy Strap | G) Ball & Spear Dummy Straps:<br>Smooth Finish<br>524-3 24" Dummy Strap<br>531-3 31" Dummy Strap |



## Security Deadbolts

For secure locking of an exterior door, we offer these deadbolts as either a single cylinder or double cylinder.

**SINGLE CYLINDER** uses a key on the outside and a thumb turn piece on the inside.

**DOUBLE CYLINDER** uses a key both outside and inside. Smooth matte black finish.

2½" Dia. with a 1" throw.  
Use on doors 1⅜" to 1¾" thick.  
Please specify 2⅜" or 2¾" Backset.

- H) 1170-3S Single Cylinder Deadbolt  
I) 1171-3S Double Cylinder Deadbolt

## Storm & Screen Door Latch Set

To stay in keeping with your other forged door hardware we offer this storm and screen door latch set. Furnished with a knob for one side and a lever for the other side with a tubular latch. Smooth matte black finish.

Knob: 1¾" Dia. Lever Handle: 2¼" L.  
Roses: 1⅞" Dia. Use on doors 7⁄8" to 1½" thick.  
Backset: 1¾".

- J) 1159-3 Storm & Screen Door Latch Set



J) Outside Trim



## Entrance Door Knob Set

A key operated privacy knob set designed for exterior doors. Smooth matte black finish.

Knob: 2" Dia. Rose: 2½" Dia.  
Use on doors 1⅜" to 1¾" thick.  
Please specify 2⅜" or 2¾" Backset.



- K) 1060-3S Entrance Door Knob Set



K) Inside Trim

# PRE-BORED ENTRANCE DOOR HARDWARE

MACHINE-FORCED IRON



## Entrance Sets for Pre-Bored Doors

We are sure you will appreciate the quality of these entrance sets and the variety they offer. Each is complete with a large thumb-latch for the outside and a matching lever inside. Substitute either the oval knob or round knob inside if you prefer. Complete with a single cylinder deadbolt. (Double cylinder available). Textured flat black finish.




Northfield Knob:  
2 1/4" Dia.  
Rosette:  
4 3/8" H x 2 1/2" W.

Charlestown Knob:  
2 1/4" Dia.  
Rosette:  
4 3/8" H x 2 1/2" W.

- A) 4610 Durham Entrance Set  
14" H x 2 3/4" W.
- B) 4611 York Entrance Set  
12" H x 2 3/4" W.
- C) 4612 New Castle Entrance Set  
12" L x 2 3/4" W.

*Please specify for all door hardware on this page:*

- Backset (2 3/8" or 2 3/4").
- Door Thickness (1 3/4" to 2 3/4").
- Handing for lever (Left or Right).



## Security Deadbolts

For secure locking of an exterior door we offer these sturdy deadbolts.

**SINGLE CYLINDER** features a keyed cylinder lock outside and a thumb turn piece inside. Choose from the 3 rosette styles for the thumb turn. Textured flat black finish.

**DOUBLE CYLINDER** provides keyed cylinder locks inside and out with round rosettes only. Textured flat black finish.

- D) 845-FB Single Cylinder Deadbolt  
2 1/2" Dia. with a 1" throw.
- E) 835-FB Double Cylinder Deadbolt  
2 3/8" Dia. with a 1" throw.

# PRE-BORED ENTRANCE DOOR HARDWARE

MACHINE-FORGED IRON



A and B use this special latch bar and strike plate, engineered specifically for pre-bored doors.

C uses a conventional tube latch and full-lip strike plate.

## Entrance Sets for Pre-Bored Doors

This collection of Entrance latch sets is designed specifically for easy installation on pre-bored doors. You can combine the rustic look of 18th century thumbblatches with a modern door to present a period style. Each set comes complete with a single cylinder deadbolt. Designed to work on doors 1<sup>3</sup>/<sub>8</sub>" to 1<sup>3</sup>/<sub>4</sub>" thick. Matte black finish. (Double cylinder available). (Matching dummy sets available).

Please specify 2<sup>3</sup>/<sub>8</sub>" or 2<sup>3</sup>/<sub>4</sub>" backset.

- A) 1015-3 Two Heart Handle Set  
11" L x 3<sup>1</sup>/<sub>2</sub>" W.
- B) 1017-3 Two Bean Handle Set  
9<sup>3</sup>/<sub>4</sub>" L x 3<sup>3</sup>/<sub>4</sub>" W.
- C) 1016-3S Heart Handle with Knob Inside  
11<sup>3</sup>/<sub>4</sub>" L x 3<sup>1</sup>/<sub>2</sub>" W.



## Entrance Doors Pulls

These pull handles are designed for installation on the stationary side of double-entrance or French door units for a perfect, symmetrical look. Textured matte black finish.

- D) 1017-3DP Bean Door Pull  
9<sup>3</sup>/<sub>4</sub>" L x 3<sup>3</sup>/<sub>4</sub>" W.
- E) 1015-3DP Heart Door Pull  
11" L x 3<sup>1</sup>/<sub>2</sub>" W.




## Door Bells

Choose from 2 designs. Complete with textured matte black decorative plate and a white electric button.

- F) 509-3 Bean Door Bell  
1<sup>5</sup>/<sub>8</sub>" L x 2" W.
- G) 508-3 Heart Door Bell  
1<sup>7</sup>/<sub>8</sub>" L x 1<sup>3</sup>/<sub>4</sub>" W.


## Pre-Bored Backset Dimensions

Standard Backset 2<sup>3</sup>/<sub>8</sub>"  
Optional Backset 2<sup>3</sup>/<sub>4</sub>"



# MORTISE ENTRANCE DOOR HARDWARE

MACHINE-FORGED IRON



## Mortise Lock Entrance Sets

Mortise locks represent the highest technology for residential door hardware. When matched with your choice of thumblatch styles, you will have an entrance set that combines 18th Century design with modern function and convenience. Not for use on pre-bored doors. These require 4½" minimum stile width. Textured matte black finish.

- A) 1030-3 Two Heart Thumblatch Set  
11" L x 2¾" W.
- B) 1080-3 Two Aspen Leaf Thumblatch Set  
10¾" L x 2¾" W.
- C) 1010-3 Heart Thumblatch & Knob Set  
11" L x 2¾" W.  
Knob: 2" Dia.  
Rose: 2" H x 1½" W
- D) 1050-3 Aspen Leaf Thumblatch & Knob Set  
10¾" L x 2¾" W.  
Knob: 2" Dia.  
Rose: 2" H x 1½" W.

C-D)



*Optional interior knob and rosette for mortise lock sets.*




## Entrance Door Pulls

If you are installing a double entrance or French door unit, these companion door pulls provide that look of symmetry and balance. These attach easily to the stationary door. Textured matte black finish.


- E) 2691-3D Heart Door Pull  
11" L x 2¾" W.
- F) 2891-3D Aspen Leaf Door Pull  
10½" L x 2¾" W.

### Please Specify

- Backset (2½" is Standard).
- Door Thickness (1¾" to 3").
- Handing (Left or Right).
- Door Swing (In-swing or Out-swing).
- Please call for technical assistance.



*High quality, U.S. made Mortise Lock. All steel and bronze components. U/L listed.*




# SLIDE BOLTS, PLATES & NUMBERS

MACHINE-FORGED IRON

## Cane Bolts

Designed originally for French doors, these cane bolts will secure a door tightly in place. Available in 2 sizes and each comes complete with 3 strikes. Smooth matte black finish.

- A) 1352-8 12" Long Cane Bolt  
Base Plate: 1½" H x 4" L.  
Throw: 1".
- 1354-8 14" Long Cane Bolt  
Base Plate: 1¾" H x 6" L.  
Throw: 1½".



## Colonial Tin Switch Plates

A matte black finish to coordinate with our iron hardware. Available in 10 styles.

- F) 6201 Colonial Tin Switch Plates



## Kick Plates

Protect the base of your door using these sturdy kick plates. Made from heavy gauge textured steel with a matte black finish. Available in 5 sizes.

- G) 842-3 5⅞" H x 30" L.      845-3 7⅜" H x 38" L.
- 843-3 7⅜" H x 34" L.      846-3 7⅜" H x 40" L.
- 844-3 7⅜" H x 36" L.

## House Numbers

Display your address with a "period" style using these cast numbers. Textured matte black finish. 4" H.

- H) 740 House Numbers



## Square Slide Bolts

There are numerous applications for these slide bolts, both interior and exterior. Used where you need to secure a door from one side, they can be mounted either vertically or horizontally. Each comes complete with 3 different strikes. Smooth matte black finish.

- B) 602-3 Small Slide Bolt  
Base Plate: 1" H x 2¼" L.  
Throw: ⅝"
- C) 604-3 Medium Slide Bolt  
Base Plate: 1½" H x 4" L.  
Throw: 1"
- D) 606-3 Large Slide Bolt  
Base Plate: 1¾" H x 6" L.  
Throw: 1½"

## Barn Door Cane Bolt

This cane bolt utilizes 2 separate mounting plates with leaf springs so the bolt stays where you put it. Designed for use on the inside surface of larger doors. Complete with 3 strike plates. Smooth matte black finish.

- E) 1356-3 Barn Door Cane Bolt  
Bolt: 22¾" L  
Base Plates: 4" L x 1½" W.

# GATE & BARN HARDWARE

MACHINE-FORGED IRON




## Gate Thumblatch Sets

Decorate your garden gate with either of these sturdy and attractive thumblatches. The nine-piece set includes all hardware necessary for in-swing or out-swing installations. The large handles provide a generous grip and all parts are extra heavy for rugged use. For gates or doors up to 4" thick. Textured matte black finish. (Specify gate or door thickness when ordering).

- A) 2791-3 Bean Gate Thumblatch Set  
9<sup>3</sup>/<sub>4</sub>" L x 3<sup>3</sup>/<sub>4</sub>" W.
- B) 2691-3 Heart Gate Thumblatch Set  
10<sup>3</sup>/<sub>4</sub>" L x 2<sup>3</sup>/<sub>4</sub>" W.

(Standard and Reverse Bevel Trim comes with either set).



## Gate Strap Hinges

Perfect for hanging all types of outdoor gates and out building doors, these threaded pintle style strap hinges can handle up to 250-lbs (carriage bolt mounted). Decorative dummy straps can be used to complete the look. Textured matte black finish. (Specify either "carriage bolts" or "wood screw" mounting).

- |                                       |  |
|---------------------------------------|--|
| F) Bean Gate Straps: Textured Finish  | H) Bean Dummy Straps: Textured Finish  |
| 6051-3 15" Gate Strap                 | 617-3 17" Dummy Strap                  |
| 6052-3 19" Gate Strap                 | 621-3 21" Dummy Strap                  |
| G) Heart Gate Straps: Textured Finish | I) Heart Dummy Straps: Textured Finish |
| 6049-3 17" Gate Strap                 | 619-3 19" Dummy Strap                  |
| 6050-3 20" Gate Strap                 | 622-3 22" Dummy Strap                  |

## Gate Cane Bolts

We offer 2 styles of cane bolts that are typically used when gates, hinged from opposite sides, swing to meet each other in the center of a walkway or path. The cane bolt secures one gate while the other gate latches to it. Textured matte black finish.

- J) 6014-3 Square Plate Cane Bolt  
18" L x 1<sup>1</sup>/<sub>2</sub>" W.
- K) 6018-3 Heart Plate Cane Bolt  
18" L x 2<sup>3</sup>/<sub>4</sub>" W.



## Ball & Chain Gate Closer

We're told that cannon ball and chain gate closers such as these were once used at Thomas Jefferson's Monticello. (Weight and chain are shipped unpainted).

- C) 3579 Ball & Chain Gate Closer  
Ball: 3<sup>1</sup>/<sub>2</sub>" Dia.  
Chain: 60" L.

## Gate & Door Pulls

- D) 2791-3D Bean Door Pull  
9<sup>3</sup>/<sub>4</sub>" L x 3<sup>3</sup>/<sub>4</sub>" W.
- E) 2691-3D Heart Door Pull  
10<sup>3</sup>/<sub>4</sub>" L x 2<sup>3</sup>/<sub>4</sub>" W.



# SHUTTER HARDWARE

MACHINE-FORGED IRON



## Shutter Holdbacks

We offer 4 styles of shutter holdbacks, all of solid heavy construction and protected from the weather by a matte black finish. Standard mounting uses a  $\frac{3}{8}$ " x 4" L lag bolt, or choose the optional "Post" which surface mounts on your siding. Brick type includes a lead shield with lag bolt. (Please specify wood or brick construction).

- |          |                           |                      |          |                            |                      |
|----------|---------------------------|----------------------|----------|----------------------------|----------------------|
| A) 505-9 | Grape Shutter Holdback    | 6 $\frac{1}{4}$ " L. | C) 507-9 | Sea Shell Shutter Holdback | 5 $\frac{1}{4}$ " L. |
| B) 506-9 | Rat-Tail Shutter Holdback | 6 $\frac{1}{4}$ " L. | D) 504-9 | "S" Shutter Holdback       | 6 $\frac{3}{4}$ " L. |



## Shutter Ring Pull

Mounted on the inside surface these are handy for pulling shutters into the closed position. Smooth matte black finish.

- E) 750-9 Shutter Ring Pull  
 Plate: 1 $\frac{3}{8}$ " H x 2" W.  
 Ring: 1 $\frac{1}{2}$ " H x 1 $\frac{7}{8}$ " W.

E)




## New York Shutter Hinge

A very sturdy hinge that also serves as corner bracket to keep your shutters from sagging over the years. Smooth matte black finish.

Hinge: 4 $\frac{1}{4}$ " H x 5" W.  
 Pintle Plate: 3 $\frac{1}{8}$ " H x 1 $\frac{1}{8}$ " W.

- F) 1011-3 N.Y. Shutter Hinge  
 (for wood) 1 $\frac{1}{16}$ " Offset.  
 1012-3 N.Y. Shutter Hinge  
 (for brick) 2 $\frac{1}{8}$ " Offset.

Each set includes 4 Hinges with Pintles.



F)



H)

## Shutter Slide Bolts

To keep shutters closed, use these specially designed slide bolts that have a long throw. Complete with surface mounted strike. Smooth matte black finish.

- |          |  |       |   |
|----------|--|-------|---|
| H) 501-9 | Small Shutter Bolt                                     | 502-9 | Large Shutter Bolt                      |
|          | Base Plate: 1 $\frac{3}{4}$ " H x 4 $\frac{7}{8}$ " L. |       | Base Plate: 2" H x 6 $\frac{3}{8}$ " L. |
|          | Throw: 1 $\frac{3}{8}$ ".                              |       | Throw: 1 $\frac{7}{8}$ ".               |

## Connecticut Shutter Hinge

Here is a simple but strong 2 piece hinge with a screw pintle. Smooth matte black finish.

Hinge: 4" L x 1" W.  
 Threaded Pintle: 3" L.

- G) 1020-3 CT Shutter Hinge

Each set includes 4 Hinges with Pintles.



G)

# CABINET HARDWARE

## MACHINE-FORGED IRON



B-C) Available in 3" or 4" height.



### Cabinet & Cupboard Hinges

We offer 5 very popular colonial design hinges which are ideal for your cabinetry. The cabinet straps also work well on cupboard doors. Hinges come as a pair. Smooth matte black finish. (Butterfly, 4" H & 4" HL hinges come flush only. 3" H, 3" HL & strap hinges come either flush or with a 3/8" offset).

- A) 417-8 Butterfly Hinges (flush only).  
2" W x 2 3/8" H.
- B) 433-3 3" H Hinges  
1 3/4" W.
- 434-3 4" H Hinges (flush only).  
1 3/4" W.
- C) 443-3 3" HL Hinges  
3 1/4" W.
- 444-3 4" HL Hinges (flush only).  
4" W.
- D) 117-3 6 1/2" Cabinet Strap  
Butt Plate: 7/8" W x 1 3/4" H.
- E) 119-3 9" Cabinet Strap  
Butt Plate: 1" W x 1 3/4" H.

### Closet Latch Set

A complete latch set that is just right for closet or cupboard doors. A matching black knob is mounted on the lift bar to make opening easier. (Not designed for walk-in closets). Smooth matte black finish. 5" L.

- F) 810-8 Closet Latch Set



G)

H)

I)



J)

K)

### Door & Cabinet Latches

From our "Machine-Forged Iron" collection comes this group of quality cabinet hardware. These distinctive pieces are ideal for kitchen cabinets, bookcases or cupboards. Smooth matte black finish. (All latches for flush mounting.)

- G) 725-8 Rat-Tail Latch  
2" max. W x 3" H.
- H) 720-3 H Latch  
2 1/2" max. W x 2 5/8" H.
- I) 730-8 Medium Rat-Tail Latch  
4 1/2" L x 3 3/4" H.
- J) 735-8 Cupboard Rat-Tail Latch  
6 1/2" L x 2 1/2" H.
- K) 920-3 Arrow-Head Latch  
3" max. W x 1 5/8" H.




# CABINET HARDWARE

MACHINE-FORGED IRON

## Door & Drawer Pulls

An attractive selection of pulls that is available in a variety of sizes. Pulls can be used on drawers as shown or turned vertically and mounted on cabinet doors. Smooth matte black finish.

- A) 271-3 Large Square Pull  
5" L on 4" center.
- B) 261-3 Small Square Pull  
4<sup>3</sup>/<sub>4</sub>" on 4" center.
- C) 241-3 Spear Pull  
5" L on 3<sup>1</sup>/<sub>4</sub>" center.
- D) 246-8 Arrow-Head Pull  
4<sup>1</sup>/<sub>2</sub>" L on 3<sup>3</sup>/<sub>8</sub>" center.
- E) 233-8 Queen Anne Pull  
4<sup>1</sup>/<sub>4</sub>" L on 3<sup>1</sup>/<sub>4</sub>" center.



## Knobs & Back Plate

Smooth matte black finish.

- G) 211-3 1" Black Knob
- H) 221-3 1<sup>3</sup>/<sub>8</sub>" Black Knob
- I) 251-3 Heart Back Plate  
2<sup>3</sup>/<sub>8</sub>" H x 2<sup>1</sup>/<sub>4</sub>" W.

## Ring Pull

Smooth matte black finish.

- F) 750-9 Ring Pull  
Plate: 1<sup>3</sup>/<sub>8</sub>" H x 2" W.  
Ring: 1<sup>1</sup>/<sub>2</sub>" H x 1<sup>7</sup>/<sub>8</sub>" W.

## Door & Drawer Pulls

Add a more formal look to your cabinetry with these traditionally designed pulls and knobs. Pulls can also be mounted vertically for use on doors.

Cabinet pulls J-L are available in 3", 3<sup>1</sup>/<sub>2</sub>" and 4" center-to-center sizes. Textured matte black finish.

- J) 784-FB Durham Cabinet Pull
- K) 797-FB York Cabinet Pull
- L) 771-FB New Castle Cabinet Pull



## Cabinet Knobs


Textured matte black finish.

- M) 742-FB 1" Black Knob
- 752-FB 1<sup>1</sup>/<sub>4</sub>" Black Knob
- N) 741-FB 1<sup>1</sup>/<sub>4</sub>" Black Knob
- 751-FB 1<sup>1</sup>/<sub>2</sub>" Black Knob
- O) 743-FB 1" Black Knob
- 753-FB 1<sup>1</sup>/<sub>4</sub>" Black Knob



# REDWARE

## PERIOD ACCESSORIES



Early redware was used in a variety of ways in 18th century New England homes. Made from clay that was commonly found near riverbanks, the local potter produced an amazing selection of plates, pitchers, bowls, candlesticks and teapots to name a few!

The majority of these items were glazed, making them impervious to moisture. Redware can be used to store and serve food and will easily withstand temperature necessary for baking. Potters would sometimes decorate their pieces with a white clay slip before glazing with simple line and dot designs.



- A) 812-SRP Small Redware Plate  
812-SRW Small Redware Plate/ Wheat Design  
8" Dia.  
812-LRW Large Redware Plate/Wheat Design  
812-LRP Large Redware Plate  
10" Dia.
- B) 811-RP Redware Platter  
811-RW Redware Platter/Wheat Design  
15" L x 9" W.
- C) 864-R Redware Chamberstick  
4" Dia. (Candle not included).
- D) 831-SR Small Redware Pitcher  
Holds 1 pint. 4" H.  
831-MR Medium Redware Pitcher  
Holds 1 quart. 7" H.  
831-LR Large Redware Pitcher  
Holds 1 gallon. 10" H.
- E) 852-SR Small Redware Covered Jar  
Holds 2 cups. 4" H.  
852-MR Medium Redware Covered Jar  
Holds 2 lbs. 7" H.  
852-LR Large Redware Covered Jar  
Holds 4 lbs. 10" H.
- F) 823-SR Small Redware Bowl  
5" Dia.  
823-MR Medium Redware Bowl  
7" Dia.  
823-LR Large Redware Bowl  
10" Dia.

Slight variations are to be expected in size & design with hand-made items, therefore sizes are approximate.



After the revolutionary war the local tinsmith produced a variety of household utensils and wares that were used widely in American homes. Actually working with tin plated sheet iron, these craftsmen used a collection of special tools for shearing, bending, rolling, crimping and soldering to create light weight, durable and economical pieces.

#### Tin Measures

- A) 936-LI 4 Cups: 4" Dia. x 7" H.
- B) 936-MT 2 Cups: 3" Dia. x 5" H.
- C) 936-ST 1 Cup: 2¾" Dia. x 4" H.
- D) 936-PT ½ Cup: 2¼" Dia. x 3" H.

- E) 986-T Tin Creamer with attached Lid  
3¼" Dia. x 4¼" H.
- F) 987-T Tin Sugar Bowl with Lid  
4" Dia. x 4" H.
- G) 985-T Tin Oval Teapot  
5¼" L x 4" W x 6½" H.


- H) 971-ST Small Tin Tray  
12¾" L x 9" W.

- I) 972-T Tin Fruit Tray  
11" L x 11" W x 2" H.

- J) 971-LT Large Tin Tray with Seam  
18" L x 12" W.

- K) 988-T Tin Scoop  
2" Dia. x 4½" L.

- L) 973-T Tin Bread Tray  
13" L x 7" W x 2" H.



Slight variations are to be expected in size with hand-made items, therefore sizes are approximate. Please note there may be sharp edges on some tinware pieces.

# PEWTERWARE

## PERIOD ACCESSORIES



A)

B)

E)

C)

D)

E)

J)

F)

G)

H)

I)

Early pewterware was made from a variety of alloys usually containing tin, copper, antimony and lead. The manufacturing process was one of casting to produce plates, cups, mugs and a wide assortment of other house wares.

In the 18th century pewter was produced as a substitute for sterling silver and in widespread use as a more affordable alternative for setting the dinner table.

The pewterware we offer is completely safe to use (it contains no lead), but unlike much of the reproduction pewter available today it has the soft patina and texture of the originals. We feel it is an essential element of period décor.

- A) 896-P 4½" Pewter Candlestick (candle not included)
- B) 894-P Pewter Mug with Handle (4½" H)
- C) 893-P Pewter Mug/No Handle (4½" H)
- D) 897-P 5½" Pewter Candlestick (candle not included)
- E) 892-P 13" Oval Pewter Platter
- F) 890-P 6" Pewter Plate – Dated "1670"
- G) 891-P 8½" Pewter Plate
- H) 895-P Glass Salt & Pepper Set with Pewter Tops & Holder  
Holder: 6" H x 5" W Shakers: 3" H.
- I) 899-P 8" Pewter Bowl
- J) 898-P 7" Pewter Porringer Bowl